


GENERAL ARRANGEMENT – TENSION CONTROL BOLT ASSEMBLY

IMPERIAL UNITS (INCHES) | NOT TO SCALE



Assembly comprises splined tension control bolt, heavy hex nut and hardened washer, supplied pre-assembled. Length measured from underside of head to end of thread. Spline shears off at specified installation tension.

BILL OF MATERIAL – LINE 1 OF 79

ITEM	BTI-317377-001
QUANTITY	3,000 pcs
DIAMETER	5/8"
LENGTH	2"
THREAD	5/8"-11 UNC
GRADE	ASTM F3125 Grade F1852
TYPE	Tension control bolt assembly
FINISH	Plain (as manufactured)
UNITS	Imperial (inches)

NOTES

- Finish: Plain – no coating applied.
- Drawings are indicative and not to scale.
- Assembly supplied with heavy hex nut and washer.
- Manufactured and tested to ASTM F3125 / F1852.
- Mill test certificates supplied with each lot.

PROJECT DETAILS

PROJECT	Wukuang Jida Project
CUSTOMER	Iconiqtek
DATE	20 AUG 2026

CUSTOMER APPROVAL

APPROVED BY (NAME & SIGNATURE)


DATE



BC-889401, 26th Floor, Gem Tower, Ajman, U.A.E.
T +971 6 8812028 E info@boltechin.com
W boltechin.com ISO 9001:2015 certified

GENERAL ARRANGEMENT – TENSION CONTROL BOLT ASSEMBLY

IMPERIAL UNITS (INCHES) | NOT TO SCALE



Assembly comprises splined tension control bolt, heavy hex nut and hardened washer, supplied pre-assembled. Length measured from underside of head to end of thread. Spline shears off at specified installation tension.

BILL OF MATERIAL – LINE 2 OF 79

ITEM	BTI-317377-002
QUANTITY	3,000 pcs
DIAMETER	5/8"
LENGTH	2-1/2"
THREAD	5/8"-11 UNC
GRADE	ASTM F3125 Grade F1852
TYPE	Tension control bolt assembly
FINISH	Plain (as manufactured)
UNITS	Imperial (inches)

NOTES

- Finish: Plain – no coating applied.
- Drawings are indicative and not to scale.
- Assembly supplied with heavy hex nut and washer.
- Manufactured and tested to ASTM F3125 / F1852.
- Mill test certificates supplied with each lot.

PROJECT DETAILS

PROJECT	Wukuang Jida Project
CUSTOMER	Iconiqtek
DATE	20 AUG 2026

CUSTOMER APPROVAL

APPROVED BY (NAME & SIGNATURE)


DATE



BC-889401, 26th Floor, Gem Tower, Ajman, U.A.E.
T +971 6 8812028 E info@boltechin.com
W boltechin.com ISO 9001:2015 certified

GENERAL ARRANGEMENT – TENSION CONTROL BOLT ASSEMBLY

IMPERIAL UNITS (INCHES) | NOT TO SCALE



Assembly comprises splined tension control bolt, heavy hex nut and hardened washer, supplied pre-assembled. Length measured from underside of head to end of thread. Spline shears off at specified installation tension.

BILL OF MATERIAL – LINE 3 OF 79

ITEM	BTI-317377-003
QUANTITY	3,000 pcs
DIAMETER	5/8"
LENGTH	3"
THREAD	5/8"-11 UNC
GRADE	ASTM F3125 Grade F1852
TYPE	Tension control bolt assembly
FINISH	Plain (as manufactured)
UNITS	Imperial (inches)

NOTES

- Finish: Plain – no coating applied.
- Drawings are indicative and not to scale.
- Assembly supplied with heavy hex nut and washer.
- Manufactured and tested to ASTM F3125 / F1852.
- Mill test certificates supplied with each lot.

PROJECT DETAILS

PROJECT	Wukuang Jida Project
CUSTOMER	Iconiqtek
DATE	20 AUG 2026

CUSTOMER APPROVAL


APPROVED BY (NAME & SIGNATURE)

DATE




BC-889401, 26th Floor, Gem Tower, Ajman, U.A.E.
T +971 6 8812028 E info@boltechin.com
W boltechin.com ISO 9001:2015 certified

IMPERIAL UNITS (INCHES) | NOT TO SCALE




DATE _____



GENERAL ARRANGEMENT – TENSION CONTROL BOLT ASSEMBLY

IMPERIAL UNITS (INCHES) | NOT TO SCALE



Assembly comprises splined tension control bolt, heavy hex nut and hardened washer, supplied pre-assembled. Length measured from underside of head to end of thread. Spline shears off at specified installation tension.

BILL OF MATERIAL – LINE 5 OF 79

ITEM	BTI-317377-005
QUANTITY	3,000 pcs
DIAMETER	5/8"
LENGTH	4"
THREAD	5/8"-11 UNC
GRADE	ASTM F3125 Grade F1852
TYPE	Tension control bolt assembly
FINISH	Plain (as manufactured)
UNITS	Imperial (inches)

NOTES

- Finish: Plain – no coating applied.
- Drawings are indicative and not to scale.
- Assembly supplied with heavy hex nut and washer.
- Manufactured and tested to ASTM F3125 / F1852.
- Mill test certificates supplied with each lot.

PROJECT DETAILS

PROJECT	Wukuang Jida Project
CUSTOMER	Iconiqtek
DATE	20 AUG 2026

CUSTOMER APPROVAL

APPROVED BY (NAME & SIGNATURE)


DATE



BC-889401, 26th Floor, Gem Tower, Ajman, U.A.E.
T +971 6 8812028 E info@boltechin.com
W boltechin.com ISO 9001:2015 certified

GENERAL ARRANGEMENT – TENSION CONTROL BOLT ASSEMBLY

IMPERIAL UNITS (INCHES) | NOT TO SCALE



Assembly comprises splined tension control bolt, heavy hex nut and hardened washer, supplied pre-assembled. Length measured from underside of head to end of thread. Spline shears off at specified installation tension.

BILL OF MATERIAL – LINE 6 OF 79

ITEM	BTI-317377-006
QUANTITY	3,000 pcs
DIAMETER	3/4"
LENGTH	2-1/4"
THREAD	3/4"-10 UNC
GRADE	ASTM F3125 Grade F1852
TYPE	Tension control bolt assembly
FINISH	Plain (as manufactured)
UNITS	Imperial (inches)

NOTES

- Finish: Plain – no coating applied.
- Drawings are indicative and not to scale.
- Assembly supplied with heavy hex nut and washer.
- Manufactured and tested to ASTM F3125 / F1852.
- Mill test certificates supplied with each lot.

PROJECT DETAILS

PROJECT	Wukuang Jida Project
CUSTOMER	Iconiqtek
DATE	20 AUG 2026

CUSTOMER APPROVAL

APPROVED BY (NAME & SIGNATURE)


DATE



BC-889401, 26th Floor, Gem Tower, Ajman, U.A.E.
T +971 6 8812028 E info@boltechin.com
W boltechin.com ISO 9001:2015 certified

GENERAL ARRANGEMENT – TENSION CONTROL BOLT ASSEMBLY

IMPERIAL UNITS (INCHES) | NOT TO SCALE



Assembly comprises splined tension control bolt, heavy hex nut and hardened washer, supplied pre-assembled. Length measured from underside of head to end of thread. Spline shears off at specified installation tension.

BILL OF MATERIAL – LINE 7 OF 79

ITEM	BTI-317377-007
QUANTITY	3,000 pcs
DIAMETER	3/4"
LENGTH	2-1/4"
THREAD	3/4"-10 UNC
GRADE	ASTM F3125 Grade F2280
TYPE	Tension control bolt assembly
FINISH	Plain (as manufactured)
UNITS	Imperial (inches)

NOTES

- Finish: Plain – no coating applied.
- Drawings are indicative and not to scale.
- Assembly supplied with heavy hex nut and washer.
- Manufactured and tested to ASTM F3125 / F2280.
- Mill test certificates supplied with each lot.

PROJECT DETAILS

PROJECT	Wukuang Jida Project
CUSTOMER	Iconiqtek
DATE	20 AUG 2026

CUSTOMER APPROVAL

APPROVED BY (NAME & SIGNATURE)


DATE



BC-889401, 26th Floor, Gem Tower, Ajman, U.A.E.
T +971 6 8812028 E info@boltechin.com
W boltechin.com ISO 9001:2015 certified

GENERAL ARRANGEMENT – TENSION CONTROL BOLT ASSEMBLY

IMPERIAL UNITS (INCHES) | NOT TO SCALE



Assembly comprises splined tension control bolt, heavy hex nut and hardened washer, supplied pre-assembled.
Length measured from underside of head to end of thread. Spline shears off at specified installation tension.

BILL OF MATERIAL – LINE 8 OF 79

ITEM	BTI-317377-008
QUANTITY	3,000 pcs
DIAMETER	3/4"
LENGTH	2-1/2"
THREAD	3/4"-10 UNC
GRADE	ASTM F3125 Grade F1852
TYPE	Tension control bolt assembly
FINISH	Plain (as manufactured)
UNITS	Imperial (inches)

NOTES

- Finish: Plain – no coating applied.
- Drawings are indicative and not to scale.
- Assembly supplied with heavy hex nut and washer.
- Manufactured and tested to ASTM F3125 / F1852.
- Mill test certificates supplied with each lot.

PROJECT DETAILS

PROJECT	Wukuang Jida Project
CUSTOMER	Iconiqtek
DATE	20 AUG 2026

CUSTOMER APPROVAL

APPROVED BY (NAME & SIGNATURE)


DATE



BC-889401, 26th Floor, Gem Tower, Ajman, U.A.E.
T +971 6 8812028 E info@boltechin.com
W boltechin.com ISO 9001:2015 certified

GENERAL ARRANGEMENT – TENSION CONTROL BOLT ASSEMBLY

IMPERIAL UNITS (INCHES) | NOT TO SCALE



Assembly comprises splined tension control bolt, heavy hex nut and hardened washer, supplied pre-assembled.
Length measured from underside of head to end of thread. Spline shears off at specified installation tension.

BILL OF MATERIAL – LINE 9 OF 79

ITEM	BTI-317377-009
QUANTITY	3,000 pcs
DIAMETER	3/4"
LENGTH	2-1/2"
THREAD	3/4"-10 UNC
GRADE	ASTM F3125 Grade F2280
TYPE	Tension control bolt assembly
FINISH	Plain (as manufactured)
UNITS	Imperial (inches)

NOTES

- Finish: Plain – no coating applied.
- Drawings are indicative and not to scale.
- Assembly supplied with heavy hex nut and washer.
- Manufactured and tested to ASTM F3125 / F2280.
- Mill test certificates supplied with each lot.

PROJECT DETAILS

PROJECT	Wukuang Jida Project
CUSTOMER	Iconiqtek
DATE	20 AUG 2026

CUSTOMER APPROVAL

APPROVED BY (NAME & SIGNATURE)


DATE



BC-889401, 26th Floor, Gem Tower, Ajman, U.A.E.
T +971 6 8812028 E info@boltechin.com
W boltechin.com ISO 9001:2015 certified

GENERAL ARRANGEMENT – TENSION CONTROL BOLT ASSEMBLY

IMPERIAL UNITS (INCHES) | NOT TO SCALE



Assembly comprises splined tension control bolt, heavy hex nut and hardened washer, supplied pre-assembled. Length measured from underside of head to end of thread. Spline shears off at specified installation tension.

BILL OF MATERIAL – LINE 10 OF 79

ITEM	BTI-317377-010
QUANTITY	3,000 pcs
DIAMETER	3/4"
LENGTH	2-3/4"
THREAD	3/4"-10 UNC
GRADE	ASTM F3125 Grade F1852
TYPE	Tension control bolt assembly
FINISH	Plain (as manufactured)
UNITS	Imperial (inches)

NOTES

- Finish: Plain – no coating applied.
- Drawings are indicative and not to scale.
- Assembly supplied with heavy hex nut and washer.
- Manufactured and tested to ASTM F3125 / F1852.
- Mill test certificates supplied with each lot.

PROJECT DETAILS

PROJECT	Wukuang Jida Project
CUSTOMER	Iconiqtek
DATE	20 AUG 2026

CUSTOMER APPROVAL

APPROVED BY (NAME & SIGNATURE)


DATE



BC-889401, 26th Floor, Gem Tower, Ajman, U.A.E.
T +971 6 8812028 E info@boltechin.com
W boltechin.com ISO 9001:2015 certified

GENERAL ARRANGEMENT – TENSION CONTROL BOLT ASSEMBLY

IMPERIAL UNITS (INCHES) | NOT TO SCALE



Assembly comprises splined tension control bolt, heavy hex nut and hardened washer, supplied pre-assembled. Length measured from underside of head to end of thread. Spline shears off at specified installation tension.

BILL OF MATERIAL – LINE 11 OF 79

ITEM	BTI-317377-011
QUANTITY	3,000 pcs
DIAMETER	3/4"
LENGTH	2-3/4"
THREAD	3/4"-10 UNC
GRADE	ASTM F3125 Grade F2280
TYPE	Tension control bolt assembly
FINISH	Plain (as manufactured)
UNITS	Imperial (inches)

NOTES

- Finish: Plain – no coating applied.
- Drawings are indicative and not to scale.
- Assembly supplied with heavy hex nut and washer.
- Manufactured and tested to ASTM F3125 / F2280.
- Mill test certificates supplied with each lot.

PROJECT DETAILS

PROJECT	Wukuang Jida Project
CUSTOMER	Iconiqtek
DATE	20 AUG 2026

CUSTOMER APPROVAL

APPROVED BY (NAME & SIGNATURE)


DATE



BC-889401, 26th Floor, Gem Tower, Ajman, U.A.E.
T +971 6 8812028 E info@boltechin.com
W boltechin.com ISO 9001:2015 certified

GENERAL ARRANGEMENT – TENSION CONTROL BOLT ASSEMBLY

IMPERIAL UNITS (INCHES) | NOT TO SCALE



Assembly comprises splined tension control bolt, heavy hex nut and hardened washer, supplied pre-assembled. Length measured from underside of head to end of thread. Spline shears off at specified installation tension.

BILL OF MATERIAL – LINE 12 OF 79

ITEM	BTI-317377-012
QUANTITY	3,000 pcs
DIAMETER	3/4"
LENGTH	3"
THREAD	3/4"-10 UNC
GRADE	ASTM F3125 Grade F1852
TYPE	Tension control bolt assembly
FINISH	Plain (as manufactured)
UNITS	Imperial (inches)

NOTES

- Finish: Plain – no coating applied.
- Drawings are indicative and not to scale.
- Assembly supplied with heavy hex nut and washer.
- Manufactured and tested to ASTM F3125 / F1852.
- Mill test certificates supplied with each lot.

PROJECT DETAILS

PROJECT	Wukuang Jida Project
CUSTOMER	Iconiqtek
DATE	20 AUG 2026

CUSTOMER APPROVAL

APPROVED BY (NAME & SIGNATURE)


DATE



BC-889401, 26th Floor, Gem Tower, Ajman, U.A.E.
T +971 6 8812028 E info@boltechin.com
W boltechin.com ISO 9001:2015 certified

GENERAL ARRANGEMENT – TENSION CONTROL BOLT ASSEMBLY

IMPERIAL UNITS (INCHES) | NOT TO SCALE



Assembly comprises splined tension control bolt, heavy hex nut and hardened washer, supplied pre-assembled. Length measured from underside of head to end of thread. Spline shears off at specified installation tension.

BILL OF MATERIAL – LINE 13 OF 79

ITEM	BTI-317377-013
QUANTITY	3,000 pcs
DIAMETER	3/4"
LENGTH	3"
THREAD	3/4"-10 UNC
GRADE	ASTM F3125 Grade F2280
TYPE	Tension control bolt assembly
FINISH	Plain (as manufactured)
UNITS	Imperial (inches)

NOTES

- Finish: Plain – no coating applied.
- Drawings are indicative and not to scale.
- Assembly supplied with heavy hex nut and washer.
- Manufactured and tested to ASTM F3125 / F2280.
- Mill test certificates supplied with each lot.

PROJECT DETAILS

PROJECT	Wukuang Jida Project
CUSTOMER	Iconiqtek
DATE	20 AUG 2026

CUSTOMER APPROVAL

APPROVED BY (NAME & SIGNATURE)


DATE



BC-889401, 26th Floor, Gem Tower, Ajman, U.A.E.
T +971 6 8812028 E info@boltechin.com
W boltechin.com ISO 9001:2015 certified

GENERAL ARRANGEMENT – TENSION CONTROL BOLT ASSEMBLY

IMPERIAL UNITS (INCHES) | NOT TO SCALE



Assembly comprises splined tension control bolt, heavy hex nut and hardened washer, supplied pre-assembled. Length measured from underside of head to end of thread. Spline shears off at specified installation tension.

BILL OF MATERIAL – LINE 14 OF 79

ITEM	BTI-317377-014
QUANTITY	3,000 pcs
DIAMETER	3/4"
LENGTH	3-1/4"
THREAD	3/4"-10 UNC
GRADE	ASTM F3125 Grade F1852
TYPE	Tension control bolt assembly
FINISH	Plain (as manufactured)
UNITS	Imperial (inches)

NOTES

- Finish: Plain – no coating applied.
- Drawings are indicative and not to scale.
- Assembly supplied with heavy hex nut and washer.
- Manufactured and tested to ASTM F3125 / F1852.
- Mill test certificates supplied with each lot.

PROJECT DETAILS

PROJECT	Wukuang Jida Project
CUSTOMER	Iconiqtek
DATE	20 AUG 2026

CUSTOMER APPROVAL

APPROVED BY (NAME & SIGNATURE)


DATE



BC-889401, 26th Floor, Gem Tower, Ajman, U.A.E.
T +971 6 8812028 E info@boltechin.com
W boltechin.com ISO 9001:2015 certified

GENERAL ARRANGEMENT – TENSION CONTROL BOLT ASSEMBLY

IMPERIAL UNITS (INCHES) | NOT TO SCALE



Assembly comprises splined tension control bolt, heavy hex nut and hardened washer, supplied pre-assembled. Length measured from underside of head to end of thread. Spline shears off at specified installation tension.

BILL OF MATERIAL – LINE 15 OF 79

ITEM	BTI-317377-015
QUANTITY	3,000 pcs
DIAMETER	3/4"
LENGTH	3-1/4"
THREAD	3/4"-10 UNC
GRADE	ASTM F3125 Grade F2280
TYPE	Tension control bolt assembly
FINISH	Plain (as manufactured)
UNITS	Imperial (inches)

NOTES

- Finish: Plain – no coating applied.
- Drawings are indicative and not to scale.
- Assembly supplied with heavy hex nut and washer.
- Manufactured and tested to ASTM F3125 / F2280.
- Mill test certificates supplied with each lot.

PROJECT DETAILS

PROJECT	Wukuang Jida Project
CUSTOMER	Iconiqtek
DATE	20 AUG 2026

CUSTOMER APPROVAL

APPROVED BY (NAME & SIGNATURE)


DATE



BC-889401, 26th Floor, Gem Tower, Ajman, U.A.E.
T +971 6 8812028 E info@boltechin.com
W boltechin.com ISO 9001:2015 certified

GENERAL ARRANGEMENT – TENSION CONTROL BOLT ASSEMBLY

IMPERIAL UNITS (INCHES) | NOT TO SCALE



Assembly comprises splined tension control bolt, heavy hex nut and hardened washer, supplied pre-assembled. Length measured from underside of head to end of thread. Spline shears off at specified installation tension.

BILL OF MATERIAL – LINE 16 OF 79

ITEM	BTI-317377-016
QUANTITY	3,000 pcs
DIAMETER	3/4"
LENGTH	3-1/2"
THREAD	3/4"-10 UNC
GRADE	ASTM F3125 Grade F1852
TYPE	Tension control bolt assembly
FINISH	Plain (as manufactured)
UNITS	Imperial (inches)

NOTES

- Finish: Plain – no coating applied.
- Drawings are indicative and not to scale.
- Assembly supplied with heavy hex nut and washer.
- Manufactured and tested to ASTM F3125 / F1852.
- Mill test certificates supplied with each lot.

PROJECT DETAILS

PROJECT	Wukuang Jida Project
CUSTOMER	Iconiqtek
DATE	20 AUG 2026

CUSTOMER APPROVAL

APPROVED BY (NAME & SIGNATURE)


DATE



BC-889401, 26th Floor, Gem Tower, Ajman, U.A.E.
T +971 6 8812028 E info@boltechin.com
W boltechin.com ISO 9001:2015 certified

GENERAL ARRANGEMENT – TENSION CONTROL BOLT ASSEMBLY

IMPERIAL UNITS (INCHES) | NOT TO SCALE



Assembly comprises splined tension control bolt, heavy hex nut and hardened washer, supplied pre-assembled. Length measured from underside of head to end of thread. Spline shears off at specified installation tension.

BILL OF MATERIAL – LINE 17 OF 79

ITEM	BTI-317377-017
QUANTITY	3,000 pcs
DIAMETER	3/4"
LENGTH	3-1/2"
THREAD	3/4"-10 UNC
GRADE	ASTM F3125 Grade F2280
TYPE	Tension control bolt assembly
FINISH	Plain (as manufactured)
UNITS	Imperial (inches)

NOTES

- Finish: Plain – no coating applied.
- Drawings are indicative and not to scale.
- Assembly supplied with heavy hex nut and washer.
- Manufactured and tested to ASTM F3125 / F2280.
- Mill test certificates supplied with each lot.

PROJECT DETAILS

PROJECT	Wukuang Jida Project
CUSTOMER	Iconiqtek
DATE	20 AUG 2026

CUSTOMER APPROVAL

APPROVED BY (NAME & SIGNATURE)


DATE



BC-889401, 26th Floor, Gem Tower, Ajman, U.A.E.
T +971 6 8812028 E info@boltechin.com
W boltechin.com ISO 9001:2015 certified

GENERAL ARRANGEMENT – TENSION CONTROL BOLT ASSEMBLY

IMPERIAL UNITS (INCHES) | NOT TO SCALE



Assembly comprises splined tension control bolt, heavy hex nut and hardened washer, supplied pre-assembled. Length measured from underside of head to end of thread. Spline shears off at specified installation tension.

BILL OF MATERIAL – LINE 18 OF 79

ITEM	BTI-317377-018
QUANTITY	3,000 pcs
DIAMETER	3/4"
LENGTH	3-3/4"
THREAD	3/4"-10 UNC
GRADE	ASTM F3125 Grade F1852
TYPE	Tension control bolt assembly
FINISH	Plain (as manufactured)
UNITS	Imperial (inches)

NOTES

- Finish: Plain – no coating applied.
- Drawings are indicative and not to scale.
- Assembly supplied with heavy hex nut and washer.
- Manufactured and tested to ASTM F3125 / F1852.
- Mill test certificates supplied with each lot.

PROJECT DETAILS

PROJECT	Wukuang Jida Project
CUSTOMER	Iconiqtek
DATE	20 AUG 2026

CUSTOMER APPROVAL

APPROVED BY (NAME & SIGNATURE)


DATE



BC-889401, 26th Floor, Gem Tower, Ajman, U.A.E.
T +971 6 8812028 E info@boltechin.com
W boltechin.com ISO 9001:2015 certified

GENERAL ARRANGEMENT – TENSION CONTROL BOLT ASSEMBLY

IMPERIAL UNITS (INCHES) | NOT TO SCALE



Assembly comprises splined tension control bolt, heavy hex nut and hardened washer, supplied pre-assembled. Length measured from underside of head to end of thread. Spline shears off at specified installation tension.

BILL OF MATERIAL – LINE 19 OF 79

ITEM	BTI-317377-019
QUANTITY	3,000 pcs
DIAMETER	3/4"
LENGTH	3-3/4"
THREAD	3/4"-10 UNC
GRADE	ASTM F3125 Grade F2280
TYPE	Tension control bolt assembly
FINISH	Plain (as manufactured)
UNITS	Imperial (inches)

NOTES

- Finish: Plain – no coating applied.
- Drawings are indicative and not to scale.
- Assembly supplied with heavy hex nut and washer.
- Manufactured and tested to ASTM F3125 / F2280.
- Mill test certificates supplied with each lot.

PROJECT DETAILS

PROJECT	Wukuang Jida Project
CUSTOMER	Iconiqtek
DATE	20 AUG 2026

CUSTOMER APPROVAL

APPROVED BY (NAME & SIGNATURE)


DATE



BC-889401, 26th Floor, Gem Tower, Ajman, U.A.E.
T +971 6 8812028 E info@boltechin.com
W boltechin.com ISO 9001:2015 certified

GENERAL ARRANGEMENT – TENSION CONTROL BOLT ASSEMBLY

IMPERIAL UNITS (INCHES) | NOT TO SCALE



Assembly comprises splined tension control bolt, heavy hex nut and hardened washer, supplied pre-assembled. Length measured from underside of head to end of thread. Spline shears off at specified installation tension.

BILL OF MATERIAL – LINE 20 OF 79

ITEM	BTI-317377-020
QUANTITY	3,000 pcs
DIAMETER	3/4"
LENGTH	4"
THREAD	3/4"-10 UNC
GRADE	ASTM F3125 Grade F1852
TYPE	Tension control bolt assembly
FINISH	Plain (as manufactured)
UNITS	Imperial (inches)

NOTES

- Finish: Plain – no coating applied.
- Drawings are indicative and not to scale.
- Assembly supplied with heavy hex nut and washer.
- Manufactured and tested to ASTM F3125 / F1852.
- Mill test certificates supplied with each lot.

PROJECT DETAILS

PROJECT	Wukuang Jida Project
CUSTOMER	Iconiqtek
DATE	20 AUG 2026

CUSTOMER APPROVAL

APPROVED BY (NAME & SIGNATURE)


DATE



BC-889401, 26th Floor, Gem Tower, Ajman, U.A.E.
T +971 6 8812028 E info@boltechin.com
W boltechin.com ISO 9001:2015 certified

GENERAL ARRANGEMENT – TENSION CONTROL BOLT ASSEMBLY

IMPERIAL UNITS (INCHES) | NOT TO SCALE



Assembly comprises splined tension control bolt, heavy hex nut and hardened washer, supplied pre-assembled. Length measured from underside of head to end of thread. Spline shears off at specified installation tension.

BILL OF MATERIAL – LINE 21 OF 79

ITEM	BTI-317377-021
QUANTITY	3,000 pcs
DIAMETER	3/4"
LENGTH	4"
THREAD	3/4"-10 UNC
GRADE	ASTM F3125 Grade F2280
TYPE	Tension control bolt assembly
FINISH	Plain (as manufactured)
UNITS	Imperial (inches)

NOTES

- Finish: Plain – no coating applied.
- Drawings are indicative and not to scale.
- Assembly supplied with heavy hex nut and washer.
- Manufactured and tested to ASTM F3125 / F2280.
- Mill test certificates supplied with each lot.

PROJECT DETAILS

PROJECT	Wukuang Jida Project
CUSTOMER	Iconiqtek
DATE	20 AUG 2026

CUSTOMER APPROVAL

APPROVED BY (NAME & SIGNATURE)


DATE



BC-889401, 26th Floor, Gem Tower, Ajman, U.A.E.
T +971 6 8812028 E info@boltechin.com
W boltechin.com ISO 9001:2015 certified

GENERAL ARRANGEMENT – TENSION CONTROL BOLT ASSEMBLY

IMPERIAL UNITS (INCHES) | NOT TO SCALE



Assembly comprises splined tension control bolt, heavy hex nut and hardened washer, supplied pre-assembled. Length measured from underside of head to end of thread. Spline shears off at specified installation tension.

BILL OF MATERIAL – LINE 22 OF 79

ITEM	BTI-317377-022
QUANTITY	3,000 pcs
DIAMETER	3/4"
LENGTH	4-1/4"
THREAD	3/4"-10 UNC
GRADE	ASTM F3125 Grade F1852
TYPE	Tension control bolt assembly
FINISH	Plain (as manufactured)
UNITS	Imperial (inches)

NOTES

- Finish: Plain – no coating applied.
- Drawings are indicative and not to scale.
- Assembly supplied with heavy hex nut and washer.
- Manufactured and tested to ASTM F3125 / F1852.
- Mill test certificates supplied with each lot.

PROJECT DETAILS

PROJECT	Wukuang Jida Project
CUSTOMER	Iconiqtek
DATE	20 AUG 2026

CUSTOMER APPROVAL

APPROVED BY (NAME & SIGNATURE)


DATE



BC-889401, 26th Floor, Gem Tower, Ajman, U.A.E.
T +971 6 8812028 E info@boltechin.com
W boltechin.com ISO 9001:2015 certified

GENERAL ARRANGEMENT – TENSION CONTROL BOLT ASSEMBLY

IMPERIAL UNITS (INCHES) | NOT TO SCALE



Assembly comprises splined tension control bolt, heavy hex nut and hardened washer, supplied pre-assembled. Length measured from underside of head to end of thread. Spline shears off at specified installation tension.

BILL OF MATERIAL – LINE 23 OF 79

ITEM	BTI-317377-023
QUANTITY	3,000 pcs
DIAMETER	3/4"
LENGTH	4-1/4"
THREAD	3/4"-10 UNC
GRADE	ASTM F3125 Grade F2280
TYPE	Tension control bolt assembly
FINISH	Plain (as manufactured)
UNITS	Imperial (inches)

NOTES

- Finish: Plain – no coating applied.
- Drawings are indicative and not to scale.
- Assembly supplied with heavy hex nut and washer.
- Manufactured and tested to ASTM F3125 / F2280.
- Mill test certificates supplied with each lot.

PROJECT DETAILS

PROJECT	Wukuang Jida Project
CUSTOMER	Iconiqtek
DATE	20 AUG 2026

CUSTOMER APPROVAL

APPROVED BY (NAME & SIGNATURE)


DATE



BC-889401, 26th Floor, Gem Tower, Ajman, U.A.E.
T +971 6 8812028 E info@boltechin.com
W boltechin.com ISO 9001:2015 certified

GENERAL ARRANGEMENT – TENSION CONTROL BOLT ASSEMBLY

IMPERIAL UNITS (INCHES) | NOT TO SCALE



Assembly comprises splined tension control bolt, heavy hex nut and hardened washer, supplied pre-assembled. Length measured from underside of head to end of thread. Spline shears off at specified installation tension.

BILL OF MATERIAL – LINE 24 OF 79

ITEM	BTI-317377-024
QUANTITY	3,000 pcs
DIAMETER	3/4"
LENGTH	4-1/2"
THREAD	3/4"-10 UNC
GRADE	ASTM F3125 Grade F1852
TYPE	Tension control bolt assembly
FINISH	Plain (as manufactured)
UNITS	Imperial (inches)

NOTES

- Finish: Plain – no coating applied.
- Drawings are indicative and not to scale.
- Assembly supplied with heavy hex nut and washer.
- Manufactured and tested to ASTM F3125 / F1852.
- Mill test certificates supplied with each lot.

PROJECT DETAILS

PROJECT	Wukuang Jida Project
CUSTOMER	Iconiqtek
DATE	20 AUG 2026

CUSTOMER APPROVAL

APPROVED BY (NAME & SIGNATURE)


DATE



BC-889401, 26th Floor, Gem Tower, Ajman, U.A.E.
T +971 6 8812028 E info@boltechin.com
W boltechin.com ISO 9001:2015 certified

GENERAL ARRANGEMENT – TENSION CONTROL BOLT ASSEMBLY

IMPERIAL UNITS (INCHES) | NOT TO SCALE



Assembly comprises splined tension control bolt, heavy hex nut and hardened washer, supplied pre-assembled. Length measured from underside of head to end of thread. Spline shears off at specified installation tension.

BILL OF MATERIAL – LINE 25 OF 79

ITEM	BTI-317377-025
QUANTITY	3,000 pcs
DIAMETER	3/4"
LENGTH	4-1/2"
THREAD	3/4"-10 UNC
GRADE	ASTM F3125 Grade F2280
TYPE	Tension control bolt assembly
FINISH	Plain (as manufactured)
UNITS	Imperial (inches)

NOTES

- Finish: Plain – no coating applied.
- Drawings are indicative and not to scale.
- Assembly supplied with heavy hex nut and washer.
- Manufactured and tested to ASTM F3125 / F2280.
- Mill test certificates supplied with each lot.

PROJECT DETAILS

PROJECT	Wukuang Jida Project
CUSTOMER	Iconiqtek
DATE	20 AUG 2026

CUSTOMER APPROVAL

APPROVED BY (NAME & SIGNATURE)


DATE



BC-889401, 26th Floor, Gem Tower, Ajman, U.A.E.
T +971 6 8812028 E info@boltechin.com
W boltechin.com ISO 9001:2015 certified

GENERAL ARRANGEMENT – TENSION CONTROL BOLT ASSEMBLY

IMPERIAL UNITS (INCHES) | NOT TO SCALE



Assembly comprises splined tension control bolt, heavy hex nut and hardened washer, supplied pre-assembled. Length measured from underside of head to end of thread. Spline shears off at specified installation tension.

BILL OF MATERIAL – LINE 26 OF 79

ITEM	BTI-317377-026
QUANTITY	3,000 pcs
DIAMETER	3/4"
LENGTH	4-3/4"
THREAD	3/4"-10 UNC
GRADE	ASTM F3125 Grade F1852
TYPE	Tension control bolt assembly
FINISH	Plain (as manufactured)
UNITS	Imperial (inches)

NOTES

- Finish: Plain – no coating applied.
- Drawings are indicative and not to scale.
- Assembly supplied with heavy hex nut and washer.
- Manufactured and tested to ASTM F3125 / F1852.
- Mill test certificates supplied with each lot.

PROJECT DETAILS

PROJECT	Wukuang Jida Project
CUSTOMER	Iconiqtek
DATE	20 AUG 2026

CUSTOMER APPROVAL


APPROVED BY (NAME & SIGNATURE)

DATE



BC-889401, 26th Floor, Gem Tower, Ajman, U.A.E.
T +971 6 8812028 E info@boltechin.com
W boltechin.com ISO 9001:2015 certified

GENERAL ARRANGEMENT – TENSION CONTROL BOLT ASSEMBLY IMPERIAL UNITS (INCHES) | NOT TO SCALE



Assembly comprises splined tension control bolt, heavy hex nut and hardened washer, supplied pre-assembled. Length measured from underside of head to end of thread. Spline shears off at specified installation tension.

BILL OF MATERIAL – LINE 27 OF 79

ITEM	BTI-317377-027
QUANTITY	3,000 pcs
DIAMETER	3/4"
LENGTH	4-3/4"
THREAD	3/4"-10 UNC
GRADE	ASTM F3125 Grade F2280
TYPE	Tension control bolt assembly
FINISH	Plain (as manufactured)
UNITS	Imperial (inches)

NOTES

- Finish: Plain – no coating applied.
- Drawings are indicative and not to scale.
- Assembly supplied with heavy hex nut and washer.
- Manufactured and tested to ASTM F3125 / F2280.
- Mill test certificates supplied with each lot.

PROJECT DETAILS

PROJECT	Wukuang Jida Project
CUSTOMER	Iconiqtek
DATE	20 AUG 2026

CUSTOMER APPROVAL

APPROVED BY (NAME & SIGNATURE)


DATE



BC-889401, 26th Floor, Gem Tower, Ajman, U.A.E.
T +971 6 8812028 E info@boltechin.com
W boltechin.com ISO 9001:2015 certified

GENERAL ARRANGEMENT – TENSION CONTROL BOLT ASSEMBLY

IMPERIAL UNITS (INCHES) | NOT TO SCALE



Assembly comprises splined tension control bolt, heavy hex nut and hardened washer, supplied pre-assembled. Length measured from underside of head to end of thread. Spline shears off at specified installation tension.

BILL OF MATERIAL – LINE 28 OF 79

ITEM	BTI-317377-028
QUANTITY	3,000 pcs
DIAMETER	7/8"
LENGTH	2-1/4"
THREAD	7/8"-9 UNC
GRADE	ASTM F3125 Grade F1852
TYPE	Tension control bolt assembly
FINISH	Plain (as manufactured)
UNITS	Imperial (inches)

NOTES

- Finish: Plain – no coating applied.
- Drawings are indicative and not to scale.
- Assembly supplied with heavy hex nut and washer.
- Manufactured and tested to ASTM F3125 / F1852.
- Mill test certificates supplied with each lot.

PROJECT DETAILS

PROJECT	Wukuang Jida Project
CUSTOMER	Iconiqtek
DATE	20 AUG 2026

CUSTOMER APPROVAL

APPROVED BY (NAME & SIGNATURE)


DATE



BC-889401, 26th Floor, Gem Tower, Ajman, U.A.E.
T +971 6 8812028 E info@boltechin.com
W boltechin.com ISO 9001:2015 certified

GENERAL ARRANGEMENT – TENSION CONTROL BOLT ASSEMBLY

IMPERIAL UNITS (INCHES) | NOT TO SCALE



Assembly comprises splined tension control bolt, heavy hex nut and hardened washer, supplied pre-assembled. Length measured from underside of head to end of thread. Spline shears off at specified installation tension.

BILL OF MATERIAL – LINE 29 OF 79

ITEM	BTI-317377-029
QUANTITY	3,000 pcs
DIAMETER	7/8"
LENGTH	2-1/4"
THREAD	7/8"-9 UNC
GRADE	ASTM F3125 Grade F2280
TYPE	Tension control bolt assembly
FINISH	Plain (as manufactured)
UNITS	Imperial (inches)

NOTES

- Finish: Plain – no coating applied.
- Drawings are indicative and not to scale.
- Assembly supplied with heavy hex nut and washer.
- Manufactured and tested to ASTM F3125 / F2280.
- Mill test certificates supplied with each lot.

PROJECT DETAILS

PROJECT	Wukuang Jida Project
CUSTOMER	Iconiqtek
DATE	20 AUG 2026

CUSTOMER APPROVAL

APPROVED BY (NAME & SIGNATURE)


DATE



BC-889401, 26th Floor, Gem Tower, Ajman, U.A.E.
T +971 6 8812028 E info@boltechin.com
W boltechin.com ISO 9001:2015 certified

GENERAL ARRANGEMENT – TENSION CONTROL BOLT ASSEMBLY

IMPERIAL UNITS (INCHES) | NOT TO SCALE



Assembly comprises splined tension control bolt, heavy hex nut and hardened washer, supplied pre-assembled. Length measured from underside of head to end of thread. Spline shears off at specified installation tension.

BILL OF MATERIAL – LINE 30 OF 79

ITEM	BTI-317377-030
QUANTITY	3,000 pcs
DIAMETER	7/8"
LENGTH	2-1/2"
THREAD	7/8"-9 UNC
GRADE	ASTM F3125 Grade F1852
TYPE	Tension control bolt assembly
FINISH	Plain (as manufactured)
UNITS	Imperial (inches)

NOTES

- Finish: Plain – no coating applied.
- Drawings are indicative and not to scale.
- Assembly supplied with heavy hex nut and washer.
- Manufactured and tested to ASTM F3125 / F1852.
- Mill test certificates supplied with each lot.

PROJECT DETAILS

PROJECT	Wukuang Jida Project
CUSTOMER	Iconiqtek
DATE	20 AUG 2026

CUSTOMER APPROVAL

APPROVED BY (NAME & SIGNATURE)


DATE



BC-889401, 26th Floor, Gem Tower, Ajman, U.A.E.
T +971 6 8812028 E info@boltechin.com
W boltechin.com ISO 9001:2015 certified

GENERAL ARRANGEMENT – TENSION CONTROL BOLT ASSEMBLY

IMPERIAL UNITS (INCHES) | NOT TO SCALE



Assembly comprises splined tension control bolt, heavy hex nut and hardened washer, supplied pre-assembled. Length measured from underside of head to end of thread. Spline shears off at specified installation tension.

BILL OF MATERIAL – LINE 31 OF 79

ITEM	BTI-317377-031
QUANTITY	3,000 pcs
DIAMETER	7/8"
LENGTH	2-1/2"
THREAD	7/8"-9 UNC
GRADE	ASTM F3125 Grade F2280
TYPE	Tension control bolt assembly
FINISH	Plain (as manufactured)
UNITS	Imperial (inches)

NOTES

- Finish: Plain – no coating applied.
- Drawings are indicative and not to scale.
- Assembly supplied with heavy hex nut and washer.
- Manufactured and tested to ASTM F3125 / F2280.
- Mill test certificates supplied with each lot.

PROJECT DETAILS

PROJECT	Wukuang Jida Project
CUSTOMER	Iconiqtek
DATE	20 AUG 2026

CUSTOMER APPROVAL

APPROVED BY (NAME & SIGNATURE)


DATE



BC-889401, 26th Floor, Gem Tower, Ajman, U.A.E.
T +971 6 8812028 E info@boltechin.com
W boltechin.com ISO 9001:2015 certified

GENERAL ARRANGEMENT – TENSION CONTROL BOLT ASSEMBLY

IMPERIAL UNITS (INCHES) | NOT TO SCALE



Assembly comprises splined tension control bolt, heavy hex nut and hardened washer, supplied pre-assembled.
Length measured from underside of head to end of thread. Spline shears off at specified installation tension.

BILL OF MATERIAL – LINE 32 OF 79

ITEM	BTI-317377-032
QUANTITY	3,000 pcs
DIAMETER	7/8"
LENGTH	2-3/4"
THREAD	7/8"-9 UNC
GRADE	ASTM F3125 Grade F1852
TYPE	Tension control bolt assembly
FINISH	Plain (as manufactured)
UNITS	Imperial (inches)

NOTES

- Finish: Plain – no coating applied.
- Drawings are indicative and not to scale.
- Assembly supplied with heavy hex nut and washer.
- Manufactured and tested to ASTM F3125 / F1852.
- Mill test certificates supplied with each lot.

PROJECT DETAILS

PROJECT	Wukuang Jida Project
CUSTOMER	Iconiqtek
DATE	20 AUG 2026

CUSTOMER APPROVAL

APPROVED BY (NAME & SIGNATURE)


DATE



BC-889401, 26th Floor, Gem Tower, Ajman, U.A.E.
T +971 6 8812028 E info@boltechin.com
W boltechin.com ISO 9001:2015 certified

GENERAL ARRANGEMENT – TENSION CONTROL BOLT ASSEMBLY

IMPERIAL UNITS (INCHES) | NOT TO SCALE



Assembly comprises splined tension control bolt, heavy hex nut and hardened washer, supplied pre-assembled.
Length measured from underside of head to end of thread. Spline shears off at specified installation tension.

BILL OF MATERIAL – LINE 33 OF 79

ITEM	BTI-317377-033
QUANTITY	3,000 pcs
DIAMETER	7/8"
LENGTH	2-3/4"
THREAD	7/8"-9 UNC
GRADE	ASTM F3125 Grade F2280
TYPE	Tension control bolt assembly
FINISH	Plain (as manufactured)
UNITS	Imperial (inches)

NOTES

- Finish: Plain – no coating applied.
- Drawings are indicative and not to scale.
- Assembly supplied with heavy hex nut and washer.
- Manufactured and tested to ASTM F3125 / F2280.
- Mill test certificates supplied with each lot.

PROJECT DETAILS

PROJECT	Wukuang Jida Project
CUSTOMER	Iconiqtek
DATE	20 AUG 2026

CUSTOMER APPROVAL

APPROVED BY (NAME & SIGNATURE)


DATE



BC-889401, 26th Floor, Gem Tower, Ajman, U.A.E.
T +971 6 8812028 E info@boltechin.com
W boltechin.com ISO 9001:2015 certified

GENERAL ARRANGEMENT – TENSION CONTROL BOLT ASSEMBLY

IMPERIAL UNITS (INCHES) | NOT TO SCALE



Assembly comprises splined tension control bolt, heavy hex nut and hardened washer, supplied pre-assembled.
Length measured from underside of head to end of thread. Spline shears off at specified installation tension.

BILL OF MATERIAL – LINE 34 OF 79

ITEM	BTI-317377-034
QUANTITY	3,000 pcs
DIAMETER	7/8"
LENGTH	3"
THREAD	7/8"-9 UNC
GRADE	ASTM F3125 Grade F1852
TYPE	Tension control bolt assembly
FINISH	Plain (as manufactured)
UNITS	Imperial (inches)

NOTES

- Finish: Plain – no coating applied.
- Drawings are indicative and not to scale.
- Assembly supplied with heavy hex nut and washer.
- Manufactured and tested to ASTM F3125 / F1852.
- Mill test certificates supplied with each lot.

PROJECT DETAILS

PROJECT	Wukuang Jida Project
CUSTOMER	Iconiqtek
DATE	20 AUG 2026

CUSTOMER APPROVAL

APPROVED BY (NAME & SIGNATURE)


DATE



BC-889401, 26th Floor, Gem Tower, Ajman, U.A.E.
T +971 6 8812028 E info@boltechin.com
W boltechin.com ISO 9001:2015 certified

GENERAL ARRANGEMENT – TENSION CONTROL BOLT ASSEMBLY

IMPERIAL UNITS (INCHES) | NOT TO SCALE



Assembly comprises splined tension control bolt, heavy hex nut and hardened washer, supplied pre-assembled.
Length measured from underside of head to end of thread. Spline shears off at specified installation tension.

BILL OF MATERIAL – LINE 35 OF 79

ITEM	BTI-317377-035
QUANTITY	3,000 pcs
DIAMETER	7/8"
LENGTH	3"
THREAD	7/8"-9 UNC
GRADE	ASTM F3125 Grade F2280
TYPE	Tension control bolt assembly
FINISH	Plain (as manufactured)
UNITS	Imperial (inches)

NOTES

- Finish: Plain – no coating applied.
- Drawings are indicative and not to scale.
- Assembly supplied with heavy hex nut and washer.
- Manufactured and tested to ASTM F3125 / F2280.
- Mill test certificates supplied with each lot.

PROJECT DETAILS

PROJECT	Wukuang Jida Project
CUSTOMER	Iconiqtek
DATE	20 AUG 2026

CUSTOMER APPROVAL

APPROVED BY (NAME & SIGNATURE)


DATE



BC-889401, 26th Floor, Gem Tower, Ajman, U.A.E.
T +971 6 8812028 E info@boltechin.com
W boltechin.com ISO 9001:2015 certified

GENERAL ARRANGEMENT – TENSION CONTROL BOLT ASSEMBLY

IMPERIAL UNITS (INCHES) | NOT TO SCALE



Assembly comprises splined tension control bolt, heavy hex nut and hardened washer, supplied pre-assembled. Length measured from underside of head to end of thread. Spline shears off at specified installation tension.

BILL OF MATERIAL – LINE 36 OF 79

ITEM	BTI-317377-036
QUANTITY	3,000 pcs
DIAMETER	7/8"
LENGTH	3-1/4"
THREAD	7/8"-9 UNC
GRADE	ASTM F3125 Grade F1852
TYPE	Tension control bolt assembly
FINISH	Plain (as manufactured)
UNITS	Imperial (inches)

NOTES

- Finish: Plain – no coating applied.
- Drawings are indicative and not to scale.
- Assembly supplied with heavy hex nut and washer.
- Manufactured and tested to ASTM F3125 / F1852.
- Mill test certificates supplied with each lot.

PROJECT DETAILS

PROJECT	Wukuang Jida Project
CUSTOMER	Iconiqtek
DATE	20 AUG 2026

CUSTOMER APPROVAL

APPROVED BY (NAME & SIGNATURE)


DATE



BC-889401, 26th Floor, Gem Tower, Ajman, U.A.E.
T +971 6 8812028 E info@boltechin.com
W boltechin.com ISO 9001:2015 certified

GENERAL ARRANGEMENT – TENSION CONTROL BOLT ASSEMBLY

IMPERIAL UNITS (INCHES) | NOT TO SCALE



Assembly comprises splined tension control bolt, heavy hex nut and hardened washer, supplied pre-assembled. Length measured from underside of head to end of thread. Spline shears off at specified installation tension.

BILL OF MATERIAL – LINE 37 OF 79

ITEM	BTI-317377-037
QUANTITY	3,000 pcs
DIAMETER	7/8"
LENGTH	3-1/4"
THREAD	7/8"-9 UNC
GRADE	ASTM F3125 Grade F2280
TYPE	Tension control bolt assembly
FINISH	Plain (as manufactured)
UNITS	Imperial (inches)

NOTES

- Finish: Plain – no coating applied.
- Drawings are indicative and not to scale.
- Assembly supplied with heavy hex nut and washer.
- Manufactured and tested to ASTM F3125 / F2280.
- Mill test certificates supplied with each lot.

PROJECT DETAILS

PROJECT	Wukuang Jida Project
CUSTOMER	Iconiqtek
DATE	20 AUG 2026

CUSTOMER APPROVAL

APPROVED BY (NAME & SIGNATURE)


DATE



BC-889401, 26th Floor, Gem Tower, Ajman, U.A.E.
T +971 6 8812028 E info@boltechin.com
W boltechin.com ISO 9001:2015 certified

GENERAL ARRANGEMENT – TENSION CONTROL BOLT ASSEMBLY

IMPERIAL UNITS (INCHES) | NOT TO SCALE



Assembly comprises splined tension control bolt, heavy hex nut and hardened washer, supplied pre-assembled. Length measured from underside of head to end of thread. Spline shears off at specified installation tension.

BILL OF MATERIAL – LINE 38 OF 79

ITEM	BTI-317377-038
QUANTITY	3,000 pcs
DIAMETER	7/8"
LENGTH	3-1/2"
THREAD	7/8"-9 UNC
GRADE	ASTM F3125 Grade F1852
TYPE	Tension control bolt assembly
FINISH	Plain (as manufactured)
UNITS	Imperial (inches)

NOTES

- Finish: Plain – no coating applied.
- Drawings are indicative and not to scale.
- Assembly supplied with heavy hex nut and washer.
- Manufactured and tested to ASTM F3125 / F1852.
- Mill test certificates supplied with each lot.

PROJECT DETAILS

PROJECT	Wukuang Jida Project
CUSTOMER	Iconiqtek
DATE	20 AUG 2026

CUSTOMER APPROVAL

APPROVED BY (NAME & SIGNATURE)


DATE



BC-889401, 26th Floor, Gem Tower, Ajman, U.A.E.
T +971 6 8812028 E info@boltechin.com
W boltechin.com ISO 9001:2015 certified

GENERAL ARRANGEMENT – TENSION CONTROL BOLT ASSEMBLY

IMPERIAL UNITS (INCHES) | NOT TO SCALE



Assembly comprises splined tension control bolt, heavy hex nut and hardened washer, supplied pre-assembled. Length measured from underside of head to end of thread. Spline shears off at specified installation tension.

BILL OF MATERIAL – LINE 39 OF 79

ITEM	BTI-317377-039
QUANTITY	3,000 pcs
DIAMETER	7/8"
LENGTH	3-1/2"
THREAD	7/8"-9 UNC
GRADE	ASTM F3125 Grade F2280
TYPE	Tension control bolt assembly
FINISH	Plain (as manufactured)
UNITS	Imperial (inches)

NOTES

- Finish: Plain – no coating applied.
- Drawings are indicative and not to scale.
- Assembly supplied with heavy hex nut and washer.
- Manufactured and tested to ASTM F3125 / F2280.
- Mill test certificates supplied with each lot.

PROJECT DETAILS

PROJECT	Wukuang Jida Project
CUSTOMER	Iconiqtek
DATE	20 AUG 2026

CUSTOMER APPROVAL

APPROVED BY (NAME & SIGNATURE)


DATE



BC-889401, 26th Floor, Gem Tower, Ajman, U.A.E.
T +971 6 8812028 E info@boltechin.com
W boltechin.com ISO 9001:2015 certified

GENERAL ARRANGEMENT – TENSION CONTROL BOLT ASSEMBLY

IMPERIAL UNITS (INCHES) | NOT TO SCALE



Assembly comprises splined tension control bolt, heavy hex nut and hardened washer, supplied pre-assembled. Length measured from underside of head to end of thread. Spline shears off at specified installation tension.

BILL OF MATERIAL – LINE 40 OF 79

ITEM	BTI-317377-040
QUANTITY	3,000 pcs
DIAMETER	7/8"
LENGTH	3-3/4"
THREAD	7/8"-9 UNC
GRADE	ASTM F3125 Grade F1852
TYPE	Tension control bolt assembly
FINISH	Plain (as manufactured)
UNITS	Imperial (inches)

NOTES

- Finish: Plain – no coating applied.
- Drawings are indicative and not to scale.
- Assembly supplied with heavy hex nut and washer.
- Manufactured and tested to ASTM F3125 / F1852.
- Mill test certificates supplied with each lot.

PROJECT DETAILS

PROJECT	Wukuang Jida Project
CUSTOMER	Iconiqtek
DATE	20 AUG 2026

CUSTOMER APPROVAL

APPROVED BY (NAME & SIGNATURE)


DATE



BC-889401, 26th Floor, Gem Tower, Ajman, U.A.E.
T +971 6 8812028 E info@boltechin.com
W boltechin.com ISO 9001:2015 certified

GENERAL ARRANGEMENT – TENSION CONTROL BOLT ASSEMBLY

IMPERIAL UNITS (INCHES) | NOT TO SCALE



Assembly comprises splined tension control bolt, heavy hex nut and hardened washer, supplied pre-assembled. Length measured from underside of head to end of thread. Spline shears off at specified installation tension.

BILL OF MATERIAL – LINE 41 OF 79

ITEM	BTI-317377-041
QUANTITY	3,000 pcs
DIAMETER	7/8"
LENGTH	3-3/4"
THREAD	7/8"-9 UNC
GRADE	ASTM F3125 Grade F2280
TYPE	Tension control bolt assembly
FINISH	Plain (as manufactured)
UNITS	Imperial (inches)

NOTES

- Finish: Plain – no coating applied.
- Drawings are indicative and not to scale.
- Assembly supplied with heavy hex nut and washer.
- Manufactured and tested to ASTM F3125 / F2280.
- Mill test certificates supplied with each lot.

PROJECT DETAILS

PROJECT	Wukuang Jida Project
CUSTOMER	Iconiqtek
DATE	20 AUG 2026

CUSTOMER APPROVAL

APPROVED BY (NAME & SIGNATURE)


DATE



BC-889401, 26th Floor, Gem Tower, Ajman, U.A.E.
T +971 6 8812028 E info@boltechin.com
W boltechin.com ISO 9001:2015 certified

GENERAL ARRANGEMENT – TENSION CONTROL BOLT ASSEMBLY

IMPERIAL UNITS (INCHES) | NOT TO SCALE



Assembly comprises splined tension control bolt, heavy hex nut and hardened washer, supplied pre-assembled. Length measured from underside of head to end of thread. Spline shears off at specified installation tension.

BILL OF MATERIAL – LINE 42 OF 79

ITEM	BTI-317377-042
QUANTITY	3,000 pcs
DIAMETER	7/8"
LENGTH	4"
THREAD	7/8"-9 UNC
GRADE	ASTM F3125 Grade F1852
TYPE	Tension control bolt assembly
FINISH	Plain (as manufactured)
UNITS	Imperial (inches)

NOTES

- Finish: Plain – no coating applied.
- Drawings are indicative and not to scale.
- Assembly supplied with heavy hex nut and washer.
- Manufactured and tested to ASTM F3125 / F1852.
- Mill test certificates supplied with each lot.

PROJECT DETAILS

PROJECT	Wukuang Jida Project
CUSTOMER	Iconiqtek
DATE	20 AUG 2026

CUSTOMER APPROVAL

APPROVED BY (NAME & SIGNATURE)


DATE



BC-889401, 26th Floor, Gem Tower, Ajman, U.A.E.
T +971 6 8812028 E info@boltechin.com
W boltechin.com ISO 9001:2015 certified

GENERAL ARRANGEMENT – TENSION CONTROL BOLT ASSEMBLY

IMPERIAL UNITS (INCHES) | NOT TO SCALE



Assembly comprises splined tension control bolt, heavy hex nut and hardened washer, supplied pre-assembled. Length measured from underside of head to end of thread. Spline shears off at specified installation tension.

BILL OF MATERIAL – LINE 43 OF 79

ITEM	BTI-317377-043
QUANTITY	3,000 pcs
DIAMETER	7/8"
LENGTH	4"
THREAD	7/8"-9 UNC
GRADE	ASTM F3125 Grade F2280
TYPE	Tension control bolt assembly
FINISH	Plain (as manufactured)
UNITS	Imperial (inches)

NOTES

- Finish: Plain – no coating applied.
- Drawings are indicative and not to scale.
- Assembly supplied with heavy hex nut and washer.
- Manufactured and tested to ASTM F3125 / F2280.
- Mill test certificates supplied with each lot.

PROJECT DETAILS

PROJECT	Wukuang Jida Project
CUSTOMER	Iconiqtek
DATE	20 AUG 2026

CUSTOMER APPROVAL

APPROVED BY (NAME & SIGNATURE)


DATE



BC-889401, 26th Floor, Gem Tower, Ajman, U.A.E.
T +971 6 8812028 E info@boltechin.com
W boltechin.com ISO 9001:2015 certified

GENERAL ARRANGEMENT – TENSION CONTROL BOLT ASSEMBLY

IMPERIAL UNITS (INCHES) | NOT TO SCALE



Assembly comprises splined tension control bolt, heavy hex nut and hardened washer, supplied pre-assembled. Length measured from underside of head to end of thread. Spline shears off at specified installation tension.

BILL OF MATERIAL – LINE 44 OF 79

ITEM	BTI-317377-044
QUANTITY	3,000 pcs
DIAMETER	7/8"
LENGTH	4-1/4"
THREAD	7/8"-9 UNC
GRADE	ASTM F3125 Grade F1852
TYPE	Tension control bolt assembly
FINISH	Plain (as manufactured)
UNITS	Imperial (inches)

NOTES

- Finish: Plain – no coating applied.
- Drawings are indicative and not to scale.
- Assembly supplied with heavy hex nut and washer.
- Manufactured and tested to ASTM F3125 / F1852.
- Mill test certificates supplied with each lot.

PROJECT DETAILS

PROJECT	Wukuang Jida Project
CUSTOMER	Iconiqtek
DATE	20 AUG 2026

CUSTOMER APPROVAL

APPROVED BY (NAME & SIGNATURE)


DATE



BC-889401, 26th Floor, Gem Tower, Ajman, U.A.E.
T +971 6 8812028 E info@boltechin.com
W boltechin.com ISO 9001:2015 certified

GENERAL ARRANGEMENT – TENSION CONTROL BOLT ASSEMBLY

IMPERIAL UNITS (INCHES) | NOT TO SCALE



Assembly comprises splined tension control bolt, heavy hex nut and hardened washer, supplied pre-assembled. Length measured from underside of head to end of thread. Spline shears off at specified installation tension.

BILL OF MATERIAL – LINE 45 OF 79

ITEM	BTI-317377-045
QUANTITY	3,000 pcs
DIAMETER	7/8"
LENGTH	4-1/4"
THREAD	7/8"-9 UNC
GRADE	ASTM F3125 Grade F2280
TYPE	Tension control bolt assembly
FINISH	Plain (as manufactured)
UNITS	Imperial (inches)

NOTES

- Finish: Plain – no coating applied.
- Drawings are indicative and not to scale.
- Assembly supplied with heavy hex nut and washer.
- Manufactured and tested to ASTM F3125 / F2280.
- Mill test certificates supplied with each lot.

PROJECT DETAILS

PROJECT	Wukuang Jida Project
CUSTOMER	Iconiqtek
DATE	20 AUG 2026

CUSTOMER APPROVAL

APPROVED BY (NAME & SIGNATURE)


DATE



BC-889401, 26th Floor, Gem Tower, Ajman, U.A.E.
T +971 6 8812028 E info@boltechin.com
W boltechin.com ISO 9001:2015 certified

GENERAL ARRANGEMENT – TENSION CONTROL BOLT ASSEMBLY

IMPERIAL UNITS (INCHES) | NOT TO SCALE



Assembly comprises splined tension control bolt, heavy hex nut and hardened washer, supplied pre-assembled. Length measured from underside of head to end of thread. Spline shears off at specified installation tension.

BILL OF MATERIAL – LINE 46 OF 79

ITEM	BTI-317377-046
QUANTITY	3,000 pcs
DIAMETER	7/8"
LENGTH	4-1/2"
THREAD	7/8"-9 UNC
GRADE	ASTM F3125 Grade F1852
TYPE	Tension control bolt assembly
FINISH	Plain (as manufactured)
UNITS	Imperial (inches)

NOTES

- Finish: Plain – no coating applied.
- Drawings are indicative and not to scale.
- Assembly supplied with heavy hex nut and washer.
- Manufactured and tested to ASTM F3125 / F1852.
- Mill test certificates supplied with each lot.

PROJECT DETAILS

PROJECT	Wukuang Jida Project
CUSTOMER	Iconiqtek
DATE	20 AUG 2026

CUSTOMER APPROVAL

APPROVED BY (NAME & SIGNATURE)


DATE



BC-889401, 26th Floor, Gem Tower, Ajman, U.A.E.
T +971 6 8812028 E info@boltechin.com
W boltechin.com ISO 9001:2015 certified

GENERAL ARRANGEMENT – TENSION CONTROL BOLT ASSEMBLY

IMPERIAL UNITS (INCHES) | NOT TO SCALE



Assembly comprises splined tension control bolt, heavy hex nut and hardened washer, supplied pre-assembled. Length measured from underside of head to end of thread. Spline shears off at specified installation tension.

BILL OF MATERIAL – LINE 47 OF 79

ITEM	BTI-317377-047
QUANTITY	3,000 pcs
DIAMETER	7/8"
LENGTH	4-1/2"
THREAD	7/8"-9 UNC
GRADE	ASTM F3125 Grade F2280
TYPE	Tension control bolt assembly
FINISH	Plain (as manufactured)
UNITS	Imperial (inches)

NOTES

- Finish: Plain – no coating applied.
- Drawings are indicative and not to scale.
- Assembly supplied with heavy hex nut and washer.
- Manufactured and tested to ASTM F3125 / F2280.
- Mill test certificates supplied with each lot.

PROJECT DETAILS

PROJECT	Wukuang Jida Project
CUSTOMER	Iconiqtek
DATE	20 AUG 2026

CUSTOMER APPROVAL

APPROVED BY (NAME & SIGNATURE)


DATE



BC-889401, 26th Floor, Gem Tower, Ajman, U.A.E.
T +971 6 8812028 E info@boltechin.com
W boltechin.com ISO 9001:2015 certified

GENERAL ARRANGEMENT – TENSION CONTROL BOLT ASSEMBLY

IMPERIAL UNITS (INCHES) | NOT TO SCALE



Assembly comprises splined tension control bolt, heavy hex nut and hardened washer, supplied pre-assembled. Length measured from underside of head to end of thread. Spline shears off at specified installation tension.

BILL OF MATERIAL – LINE 48 OF 79

ITEM	BTI-317377-048
QUANTITY	3,000 pcs
DIAMETER	7/8"
LENGTH	4-3/4"
THREAD	7/8"-9 UNC
GRADE	ASTM F3125 Grade F1852
TYPE	Tension control bolt assembly
FINISH	Plain (as manufactured)
UNITS	Imperial (inches)

NOTES

- Finish: Plain – no coating applied.
- Drawings are indicative and not to scale.
- Assembly supplied with heavy hex nut and washer.
- Manufactured and tested to ASTM F3125 / F1852.
- Mill test certificates supplied with each lot.

PROJECT DETAILS

PROJECT	Wukuang Jida Project
CUSTOMER	Iconiqtek
DATE	20 AUG 2026

CUSTOMER APPROVAL

APPROVED BY (NAME & SIGNATURE)


DATE



BC-889401, 26th Floor, Gem Tower, Ajman, U.A.E.
T +971 6 8812028 E info@boltechin.com
W boltechin.com ISO 9001:2015 certified

GENERAL ARRANGEMENT – TENSION CONTROL BOLT ASSEMBLY

IMPERIAL UNITS (INCHES) | NOT TO SCALE



Assembly comprises splined tension control bolt, heavy hex nut and hardened washer, supplied pre-assembled. Length measured from underside of head to end of thread. Spline shears off at specified installation tension.

BILL OF MATERIAL – LINE 49 OF 79

ITEM	BTI-317377-049
QUANTITY	3,000 pcs
DIAMETER	7/8"
LENGTH	4-3/4"
THREAD	7/8"-9 UNC
GRADE	ASTM F3125 Grade F2280
TYPE	Tension control bolt assembly
FINISH	Plain (as manufactured)
UNITS	Imperial (inches)

NOTES

- Finish: Plain – no coating applied.
- Drawings are indicative and not to scale.
- Assembly supplied with heavy hex nut and washer.
- Manufactured and tested to ASTM F3125 / F2280.
- Mill test certificates supplied with each lot.

PROJECT DETAILS

PROJECT	Wukuang Jida Project
CUSTOMER	Iconiqtek
DATE	20 AUG 2026

CUSTOMER APPROVAL

APPROVED BY (NAME & SIGNATURE)


DATE



BC-889401, 26th Floor, Gem Tower, Ajman, U.A.E.
T +971 6 8812028 E info@boltechin.com
W boltechin.com ISO 9001:2015 certified

GENERAL ARRANGEMENT – TENSION CONTROL BOLT ASSEMBLY

IMPERIAL UNITS (INCHES) | NOT TO SCALE



Assembly comprises splined tension control bolt, heavy hex nut and hardened washer, supplied pre-assembled. Length measured from underside of head to end of thread. Spline shears off at specified installation tension.

BILL OF MATERIAL – LINE 50 OF 79

ITEM	BTI-317377-050
QUANTITY	3,000 pcs
DIAMETER	1"
LENGTH	2"
THREAD	1"-8 UNC
GRADE	ASTM F3125 Grade F2280
TYPE	Tension control bolt assembly
FINISH	Plain (as manufactured)
UNITS	Imperial (inches)

NOTES

- Finish: Plain – no coating applied.
- Drawings are indicative and not to scale.
- Assembly supplied with heavy hex nut and washer.
- Manufactured and tested to ASTM F3125 / F2280.
- Mill test certificates supplied with each lot.

PROJECT DETAILS

PROJECT	Wukuang Jida Project
CUSTOMER	Iconiqtek
DATE	20 AUG 2026

CUSTOMER APPROVAL

APPROVED BY (NAME & SIGNATURE)


DATE



BC-889401, 26th Floor, Gem Tower, Ajman, U.A.E.
T +971 6 8812028 E info@boltechin.com
W boltechin.com ISO 9001:2015 certified

GENERAL ARRANGEMENT – TENSION CONTROL BOLT ASSEMBLY

IMPERIAL UNITS (INCHES) | NOT TO SCALE



Assembly comprises splined tension control bolt, heavy hex nut and hardened washer, supplied pre-assembled. Length measured from underside of head to end of thread. Spline shears off at specified installation tension.

BILL OF MATERIAL – LINE 51 OF 79

ITEM	BTI-317377-051
QUANTITY	3,000 pcs
DIAMETER	1"
LENGTH	2-1/4"
THREAD	1"-8 UNC
GRADE	ASTM F3125 Grade F2280
TYPE	Tension control bolt assembly
FINISH	Plain (as manufactured)
UNITS	Imperial (inches)

NOTES

- Finish: Plain – no coating applied.
- Drawings are indicative and not to scale.
- Assembly supplied with heavy hex nut and washer.
- Manufactured and tested to ASTM F3125 / F2280.
- Mill test certificates supplied with each lot.

PROJECT DETAILS

PROJECT	Wukuang Jida Project
CUSTOMER	Iconiqtek
DATE	20 AUG 2026

CUSTOMER APPROVAL

APPROVED BY (NAME & SIGNATURE)


DATE



BC-889401, 26th Floor, Gem Tower, Ajman, U.A.E.
T +971 6 8812028 E info@boltechin.com
W boltechin.com ISO 9001:2015 certified

GENERAL ARRANGEMENT – TENSION CONTROL BOLT ASSEMBLY

IMPERIAL UNITS (INCHES) | NOT TO SCALE



Assembly comprises splined tension control bolt, heavy hex nut and hardened washer, supplied pre-assembled. Length measured from underside of head to end of thread. Spline shears off at specified installation tension.

BILL OF MATERIAL – LINE 52 OF 79

ITEM	BTI-317377-052
QUANTITY	3,000 pcs
DIAMETER	1"
LENGTH	2-1/2"
THREAD	1"-8 UNC
GRADE	ASTM F3125 Grade F2280
TYPE	Tension control bolt assembly
FINISH	Plain (as manufactured)
UNITS	Imperial (inches)

NOTES

- Finish: Plain – no coating applied.
- Drawings are indicative and not to scale.
- Assembly supplied with heavy hex nut and washer.
- Manufactured and tested to ASTM F3125 / F2280.
- Mill test certificates supplied with each lot.

PROJECT DETAILS

PROJECT	Wukuang Jida Project
CUSTOMER	Iconiqtek
DATE	20 AUG 2026

CUSTOMER APPROVAL

APPROVED BY (NAME & SIGNATURE)


DATE



BC-889401, 26th Floor, Gem Tower, Ajman, U.A.E.
T +971 6 8812028 E info@boltechin.com
W boltechin.com ISO 9001:2015 certified

GENERAL ARRANGEMENT – TENSION CONTROL BOLT ASSEMBLY

IMPERIAL UNITS (INCHES) | NOT TO SCALE



Assembly comprises splined tension control bolt, heavy hex nut and hardened washer, supplied pre-assembled. Length measured from underside of head to end of thread. Spline shears off at specified installation tension.

BILL OF MATERIAL – LINE 53 OF 79

ITEM	BTI-317377-053
QUANTITY	3,000 pcs
DIAMETER	1"
LENGTH	2-3/4"
THREAD	1"-8 UNC
GRADE	ASTM F3125 Grade F2280
TYPE	Tension control bolt assembly
FINISH	Plain (as manufactured)
UNITS	Imperial (inches)

NOTES

- Finish: Plain – no coating applied.
- Drawings are indicative and not to scale.
- Assembly supplied with heavy hex nut and washer.
- Manufactured and tested to ASTM F3125 / F2280.
- Mill test certificates supplied with each lot.

PROJECT DETAILS

PROJECT	Wukuang Jida Project
CUSTOMER	Iconiqtek
DATE	20 AUG 2026

CUSTOMER APPROVAL

APPROVED BY (NAME & SIGNATURE)


DATE



BC-889401, 26th Floor, Gem Tower, Ajman, U.A.E.
T +971 6 8812028 E info@boltechin.com
W boltechin.com ISO 9001:2015 certified

GENERAL ARRANGEMENT – TENSION CONTROL BOLT ASSEMBLY

IMPERIAL UNITS (INCHES) | NOT TO SCALE



Assembly comprises splined tension control bolt, heavy hex nut and hardened washer, supplied pre-assembled.
Length measured from underside of head to end of thread. Spline shears off at specified installation tension.

BILL OF MATERIAL – LINE 54 OF 79

ITEM	BTI-317377-054
QUANTITY	3,000 pcs
DIAMETER	1"
LENGTH	3"
THREAD	1"-8 UNC
GRADE	ASTM F3125 Grade F2280
TYPE	Tension control bolt assembly
FINISH	Plain (as manufactured)
UNITS	Imperial (inches)

NOTES

- Finish: Plain – no coating applied.
- Drawings are indicative and not to scale.
- Assembly supplied with heavy hex nut and washer.
- Manufactured and tested to ASTM F3125 / F2280.
- Mill test certificates supplied with each lot.

PROJECT DETAILS

PROJECT	Wukuang Jida Project
CUSTOMER	Iconiqtek
DATE	20 AUG 2026

CUSTOMER APPROVAL

APPROVED BY (NAME & SIGNATURE)


DATE



BC-889401, 26th Floor, Gem Tower, Ajman, U.A.E.
T +971 6 8812028 E info@boltechin.com
W boltechin.com ISO 9001:2015 certified

GENERAL ARRANGEMENT – TENSION CONTROL BOLT ASSEMBLY

IMPERIAL UNITS (INCHES) | NOT TO SCALE



Assembly comprises splined tension control bolt, heavy hex nut and hardened washer, supplied pre-assembled.
Length measured from underside of head to end of thread. Spline shears off at specified installation tension.

BILL OF MATERIAL – LINE 55 OF 79

ITEM	BTI-317377-055
QUANTITY	3,000 pcs
DIAMETER	1"
LENGTH	3-1/4"
THREAD	1"-8 UNC
GRADE	ASTM F3125 Grade F2280
TYPE	Tension control bolt assembly
FINISH	Plain (as manufactured)
UNITS	Imperial (inches)

NOTES

- Finish: Plain – no coating applied.
- Drawings are indicative and not to scale.
- Assembly supplied with heavy hex nut and washer.
- Manufactured and tested to ASTM F3125 / F2280.
- Mill test certificates supplied with each lot.

PROJECT DETAILS

PROJECT	Wukuang Jida Project
CUSTOMER	Iconiqtek
DATE	20 AUG 2026

CUSTOMER APPROVAL

APPROVED BY (NAME & SIGNATURE)


DATE



BC-889401, 26th Floor, Gem Tower, Ajman, U.A.E.
T +971 6 8812028 E info@boltechin.com
W boltechin.com ISO 9001:2015 certified

GENERAL ARRANGEMENT – TENSION CONTROL BOLT ASSEMBLY

IMPERIAL UNITS (INCHES) | NOT TO SCALE



Assembly comprises splined tension control bolt, heavy hex nut and hardened washer, supplied pre-assembled. Length measured from underside of head to end of thread. Spline shears off at specified installation tension.

BILL OF MATERIAL – LINE 56 OF 79

ITEM	BTI-317377-056
QUANTITY	3,000 pcs
DIAMETER	1"
LENGTH	3-1/2"
THREAD	1"-8 UNC
GRADE	ASTM F3125 Grade F2280
TYPE	Tension control bolt assembly
FINISH	Plain (as manufactured)
UNITS	Imperial (inches)

NOTES

- Finish: Plain – no coating applied.
- Drawings are indicative and not to scale.
- Assembly supplied with heavy hex nut and washer.
- Manufactured and tested to ASTM F3125 / F2280.
- Mill test certificates supplied with each lot.

PROJECT DETAILS

PROJECT	Wukuang Jida Project
CUSTOMER	Iconiqtek
DATE	20 AUG 2026

CUSTOMER APPROVAL

APPROVED BY (NAME & SIGNATURE)


DATE



BC-889401, 26th Floor, Gem Tower, Ajman, U.A.E.
T +971 6 8812028 E info@boltechin.com
W boltechin.com ISO 9001:2015 certified

GENERAL ARRANGEMENT – TENSION CONTROL BOLT ASSEMBLY

IMPERIAL UNITS (INCHES) | NOT TO SCALE



Assembly comprises splined tension control bolt, heavy hex nut and hardened washer, supplied pre-assembled. Length measured from underside of head to end of thread. Spline shears off at specified installation tension.

BILL OF MATERIAL – LINE 57 OF 79

ITEM	BTI-317377-057
QUANTITY	3,000 pcs
DIAMETER	1"
LENGTH	3-3/4"
THREAD	1"-8 UNC
GRADE	ASTM F3125 Grade F2280
TYPE	Tension control bolt assembly
FINISH	Plain (as manufactured)
UNITS	Imperial (inches)

NOTES

- Finish: Plain – no coating applied.
- Drawings are indicative and not to scale.
- Assembly supplied with heavy hex nut and washer.
- Manufactured and tested to ASTM F3125 / F2280.
- Mill test certificates supplied with each lot.

PROJECT DETAILS

PROJECT	Wukuang Jida Project
CUSTOMER	Iconiqtek
DATE	20 AUG 2026

CUSTOMER APPROVAL


APPROVED BY (NAME & SIGNATURE)

DATE



BC-889401, 26th Floor, Gem Tower, Ajman, U.A.E.
T +971 6 8812028 E info@boltechin.com
W boltechin.com ISO 9001:2015 certified

GENERAL ARRANGEMENT – TENSION CONTROL BOLT ASSEMBLY IMPERIAL UNITS (INCHES) | NOT TO SCALE



Assembly comprises splined tension control bolt, heavy hex nut and hardened washer, supplied pre-assembled. Length measured from underside of head to end of thread. Spline shears off at specified installation tension.

BILL OF MATERIAL – LINE 58 OF 79

ITEM	BTI-317377-058
QUANTITY	3,000 pcs
DIAMETER	1"
LENGTH	4"
THREAD	1"-8 UNC
GRADE	ASTM F3125 Grade F2280
TYPE	Tension control bolt assembly
FINISH	Plain (as manufactured)
UNITS	Imperial (inches)

NOTES

- Finish: Plain – no coating applied.
- Drawings are indicative and not to scale.
- Assembly supplied with heavy hex nut and washer.
- Manufactured and tested to ASTM F3125 / F2280.
- Mill test certificates supplied with each lot.

PROJECT DETAILS

PROJECT	Wukuang Jida Project
CUSTOMER	Iconiqtek
DATE	20 AUG 2026

CUSTOMER APPROVAL


APPROVED BY (NAME & SIGNATURE)

DATE



BC-889401, 26th Floor, Gem Tower, Ajman, U.A.E.
T +971 6 8812028 E info@boltechin.com
W boltechin.com ISO 9001:2015 certified

GENERAL ARRANGEMENT – TENSION CONTROL BOLT ASSEMBLY IMPERIAL UNITS (INCHES) | NOT TO SCALE



Assembly comprises splined tension control bolt, heavy hex nut and hardened washer, supplied pre-assembled. Length measured from underside of head to end of thread. Spline shears off at specified installation tension.

BILL OF MATERIAL – LINE 59 OF 79

ITEM	BTI-317377-059
QUANTITY	3,000 pcs
DIAMETER	1"
LENGTH	4-1/4"
THREAD	1"-8 UNC
GRADE	ASTM F3125 Grade F2280
TYPE	Tension control bolt assembly
FINISH	Plain (as manufactured)
UNITS	Imperial (inches)

NOTES

- Finish: Plain – no coating applied.
- Drawings are indicative and not to scale.
- Assembly supplied with heavy hex nut and washer.
- Manufactured and tested to ASTM F3125 / F2280.
- Mill test certificates supplied with each lot.

PROJECT DETAILS

PROJECT	Wukuang Jida Project
CUSTOMER	Iconiqtek
DATE	20 AUG 2026

CUSTOMER APPROVAL

APPROVED BY (NAME & SIGNATURE)


DATE



BC-889401, 26th Floor, Gem Tower, Ajman, U.A.E.
T +971 6 8812028 E info@boltechin.com
W boltechin.com ISO 9001:2015 certified

GENERAL ARRANGEMENT – TENSION CONTROL BOLT ASSEMBLY

IMPERIAL UNITS (INCHES) | NOT TO SCALE



Assembly comprises splined tension control bolt, heavy hex nut and hardened washer, supplied pre-assembled. Length measured from underside of head to end of thread. Spline shears off at specified installation tension.

BILL OF MATERIAL – LINE 60 OF 79

ITEM	BTI-317377-060
QUANTITY	3,000 pcs
DIAMETER	1"
LENGTH	4-1/2"
THREAD	1"-8 UNC
GRADE	ASTM F3125 Grade F2280
TYPE	Tension control bolt assembly
FINISH	Plain (as manufactured)
UNITS	Imperial (inches)

NOTES

- Finish: Plain – no coating applied.
- Drawings are indicative and not to scale.
- Assembly supplied with heavy hex nut and washer.
- Manufactured and tested to ASTM F3125 / F2280.
- Mill test certificates supplied with each lot.

PROJECT DETAILS

PROJECT	Wukuang Jida Project
CUSTOMER	Iconiqtek
DATE	20 AUG 2026

CUSTOMER APPROVAL

APPROVED BY (NAME & SIGNATURE)


DATE



BC-889401, 26th Floor, Gem Tower, Ajman, U.A.E.
T +971 6 8812028 E info@boltechin.com
W boltechin.com ISO 9001:2015 certified

GENERAL ARRANGEMENT – TENSION CONTROL BOLT ASSEMBLY

IMPERIAL UNITS (INCHES) | NOT TO SCALE



Assembly comprises splined tension control bolt, heavy hex nut and hardened washer, supplied pre-assembled. Length measured from underside of head to end of thread. Spline shears off at specified installation tension.

BILL OF MATERIAL – LINE 61 OF 79

ITEM	BTI-317377-061
QUANTITY	3,000 pcs
DIAMETER	1"
LENGTH	4-3/4"
THREAD	1"-8 UNC
GRADE	ASTM F3125 Grade F2280
TYPE	Tension control bolt assembly
FINISH	Plain (as manufactured)
UNITS	Imperial (inches)

NOTES

- Finish: Plain – no coating applied.
- Drawings are indicative and not to scale.
- Assembly supplied with heavy hex nut and washer.
- Manufactured and tested to ASTM F3125 / F2280.
- Mill test certificates supplied with each lot.

PROJECT DETAILS

PROJECT	Wukuang Jida Project
CUSTOMER	Iconiqtek
DATE	20 AUG 2026

CUSTOMER APPROVAL

APPROVED BY (NAME & SIGNATURE)


DATE



BC-889401, 26th Floor, Gem Tower, Ajman, U.A.E.
 T +971 6 8812028 E info@boltechin.com
 W boltechin.com ISO 9001:2015 certified

GENERAL ARRANGEMENT – TENSION CONTROL BOLT ASSEMBLY

IMPERIAL UNITS (INCHES) | NOT TO SCALE



Assembly comprises splined tension control bolt, heavy hex nut and hardened washer, supplied pre-assembled. Length measured from underside of head to end of thread. Spline shears off at specified installation tension.

BILL OF MATERIAL – LINE 62 OF 79

ITEM	BTI-317377-062
QUANTITY	3,000 pcs
DIAMETER	1"
LENGTH	5"
THREAD	1"-8 UNC
GRADE	ASTM F3125 Grade F2280
TYPE	Tension control bolt assembly
FINISH	Plain (as manufactured)
UNITS	Imperial (inches)

NOTES

- Finish: Plain – no coating applied.
- Drawings are indicative and not to scale.
- Assembly supplied with heavy hex nut and washer.
- Manufactured and tested to ASTM F3125 / F2280.
- Mill test certificates supplied with each lot.

PROJECT DETAILS

PROJECT	Wukuang Jida Project
CUSTOMER	Iconiqtek
DATE	20 AUG 2026

CUSTOMER APPROVAL

APPROVED BY (NAME & SIGNATURE)


DATE



BC-889401, 26th Floor, Gem Tower, Ajman, U.A.E.
T +971 6 8812028 E info@boltechin.com
W boltechin.com ISO 9001:2015 certified

GENERAL ARRANGEMENT – TENSION CONTROL BOLT ASSEMBLY

IMPERIAL UNITS (INCHES) | NOT TO SCALE



Assembly comprises splined tension control bolt, heavy hex nut and hardened washer, supplied pre-assembled. Length measured from underside of head to end of thread. Spline shears off at specified installation tension.

BILL OF MATERIAL – LINE 63 OF 79

ITEM	BTI-317377-063
QUANTITY	3,000 pcs
DIAMETER	1-1/8"
LENGTH	2-3/4"
THREAD	1-1/8"-7 UNC
GRADE	ASTM F3125 Grade F2280
TYPE	Tension control bolt assembly
FINISH	Plain (as manufactured)
UNITS	Imperial (inches)

NOTES

- Finish: Plain – no coating applied.
- Drawings are indicative and not to scale.
- Assembly supplied with heavy hex nut and washer.
- Manufactured and tested to ASTM F3125 / F2280.
- Mill test certificates supplied with each lot.

PROJECT DETAILS

PROJECT	Wukuang Jida Project
CUSTOMER	Iconiqtek
DATE	20 AUG 2026

CUSTOMER APPROVAL

APPROVED BY (NAME & SIGNATURE)


DATE



BC-889401, 26th Floor, Gem Tower, Ajman, U.A.E.
T +971 6 8812028 E info@boltechin.com
W boltechin.com ISO 9001:2015 certified

GENERAL ARRANGEMENT – TENSION CONTROL BOLT ASSEMBLY

IMPERIAL UNITS (INCHES) | NOT TO SCALE



Assembly comprises splined tension control bolt, heavy hex nut and hardened washer, supplied pre-assembled. Length measured from underside of head to end of thread. Spline shears off at specified installation tension.

BILL OF MATERIAL – LINE 64 OF 79

ITEM	BTI-317377-064
QUANTITY	3,000 pcs
DIAMETER	1-1/8"
LENGTH	3"
THREAD	1-1/8"-7 UNC
GRADE	ASTM F3125 Grade F2280
TYPE	Tension control bolt assembly
FINISH	Plain (as manufactured)
UNITS	Imperial (inches)

NOTES

- Finish: Plain – no coating applied.
- Drawings are indicative and not to scale.
- Assembly supplied with heavy hex nut and washer.
- Manufactured and tested to ASTM F3125 / F2280.
- Mill test certificates supplied with each lot.

PROJECT DETAILS

PROJECT	Wukuang Jida Project
CUSTOMER	Iconiqtek
DATE	20 AUG 2026

CUSTOMER APPROVAL

APPROVED BY (NAME & SIGNATURE)


DATE



BC-889401, 26th Floor, Gem Tower, Ajman, U.A.E.
T +971 6 8812028 E info@boltechin.com
W boltechin.com ISO 9001:2015 certified

GENERAL ARRANGEMENT – TENSION CONTROL BOLT ASSEMBLY

IMPERIAL UNITS (INCHES) | NOT TO SCALE



Assembly comprises splined tension control bolt, heavy hex nut and hardened washer, supplied pre-assembled. Length measured from underside of head to end of thread. Spline shears off at specified installation tension.

BILL OF MATERIAL – LINE 65 OF 79

ITEM	BTI-317377-065
QUANTITY	3,000 pcs
DIAMETER	1-1/8"
LENGTH	3-1/4"
THREAD	1-1/8"-7 UNC
GRADE	ASTM F3125 Grade F2280
TYPE	Tension control bolt assembly
FINISH	Plain (as manufactured)
UNITS	Imperial (inches)

NOTES

- Finish: Plain – no coating applied.
- Drawings are indicative and not to scale.
- Assembly supplied with heavy hex nut and washer.
- Manufactured and tested to ASTM F3125 / F2280.
- Mill test certificates supplied with each lot.

PROJECT DETAILS

PROJECT	Wukuang Jida Project
CUSTOMER	Iconiqtek
DATE	20 AUG 2026

CUSTOMER APPROVAL

APPROVED BY (NAME & SIGNATURE)


DATE



BC-889401, 26th Floor, Gem Tower, Ajman, U.A.E.
T +971 6 8812028 E info@boltechin.com
W boltechin.com ISO 9001:2015 certified

GENERAL ARRANGEMENT – TENSION CONTROL BOLT ASSEMBLY

IMPERIAL UNITS (INCHES) | NOT TO SCALE



Assembly comprises splined tension control bolt, heavy hex nut and hardened washer, supplied pre-assembled.
Length measured from underside of head to end of thread. Spline shears off at specified installation tension.

BILL OF MATERIAL – LINE 66 OF 79

ITEM	BTI-317377-066
QUANTITY	3,000 pcs
DIAMETER	1-1/8"
LENGTH	3-1/2"
THREAD	1-1/8"-7 UNC
GRADE	ASTM F3125 Grade F2280
TYPE	Tension control bolt assembly
FINISH	Plain (as manufactured)
UNITS	Imperial (inches)

NOTES

- Finish: Plain – no coating applied.
- Drawings are indicative and not to scale.
- Assembly supplied with heavy hex nut and washer.
- Manufactured and tested to ASTM F3125 / F2280.
- Mill test certificates supplied with each lot.

PROJECT DETAILS

PROJECT	Wukuang Jida Project
CUSTOMER	Iconiqtek
DATE	20 AUG 2026

CUSTOMER APPROVAL

APPROVED BY (NAME & SIGNATURE)


DATE



BC-889401, 26th Floor, Gem Tower, Ajman, U.A.E.
T +971 6 8812028 E info@boltechin.com
W boltechin.com ISO 9001:2015 certified

GENERAL ARRANGEMENT – TENSION CONTROL BOLT ASSEMBLY

IMPERIAL UNITS (INCHES) | NOT TO SCALE



Assembly comprises splined tension control bolt, heavy hex nut and hardened washer, supplied pre-assembled. Length measured from underside of head to end of thread. Spline shears off at specified installation tension.

BILL OF MATERIAL – LINE 67 OF 79

ITEM	BTI-317377-067
QUANTITY	3,000 pcs
DIAMETER	1-1/8"
LENGTH	3-3/4"
THREAD	1-1/8"-7 UNC
GRADE	ASTM F3125 Grade F2280
TYPE	Tension control bolt assembly
FINISH	Plain (as manufactured)
UNITS	Imperial (inches)

NOTES

- Finish: Plain – no coating applied.
- Drawings are indicative and not to scale.
- Assembly supplied with heavy hex nut and washer.
- Manufactured and tested to ASTM F3125 / F2280.
- Mill test certificates supplied with each lot.

PROJECT DETAILS

PROJECT	Wukuang Jida Project
CUSTOMER	Iconiqtek
DATE	20 AUG 2026

CUSTOMER APPROVAL

APPROVED BY (NAME & SIGNATURE)


DATE



BC-889401, 26th Floor, Gem Tower, Ajman, U.A.E.
T +971 6 8812028 E info@boltechin.com
W boltechin.com ISO 9001:2015 certified

GENERAL ARRANGEMENT – TENSION CONTROL BOLT ASSEMBLY

IMPERIAL UNITS (INCHES) | NOT TO SCALE



Assembly comprises splined tension control bolt, heavy hex nut and hardened washer, supplied pre-assembled. Length measured from underside of head to end of thread. Spline shears off at specified installation tension.

BILL OF MATERIAL – LINE 68 OF 79

ITEM	BTI-317377-068
QUANTITY	3,000 pcs
DIAMETER	1-1/8"
LENGTH	4"
THREAD	1-1/8"-7 UNC
GRADE	ASTM F3125 Grade F2280
TYPE	Tension control bolt assembly
FINISH	Plain (as manufactured)
UNITS	Imperial (inches)

NOTES

- Finish: Plain – no coating applied.
- Drawings are indicative and not to scale.
- Assembly supplied with heavy hex nut and washer.
- Manufactured and tested to ASTM F3125 / F2280.
- Mill test certificates supplied with each lot.

PROJECT DETAILS

PROJECT	Wukuang Jida Project
CUSTOMER	Iconiqtek
DATE	20 AUG 2026

CUSTOMER APPROVAL

APPROVED BY (NAME & SIGNATURE)


DATE



BC-889401, 26th Floor, Gem Tower, Ajman, U.A.E.
T +971 6 8812028 E info@boltechin.com
W boltechin.com ISO 9001:2015 certified

GENERAL ARRANGEMENT – TENSION CONTROL BOLT ASSEMBLY

IMPERIAL UNITS (INCHES) | NOT TO SCALE



Assembly comprises splined tension control bolt, heavy hex nut and hardened washer, supplied pre-assembled. Length measured from underside of head to end of thread. Spline shears off at specified installation tension.

BILL OF MATERIAL – LINE 69 OF 79

ITEM	BTI-317377-069
QUANTITY	3,000 pcs
DIAMETER	1-1/8"
LENGTH	4-1/4"
THREAD	1-1/8"-7 UNC
GRADE	ASTM F3125 Grade F2280
TYPE	Tension control bolt assembly
FINISH	Plain (as manufactured)
UNITS	Imperial (inches)

NOTES

- Finish: Plain – no coating applied.
- Drawings are indicative and not to scale.
- Assembly supplied with heavy hex nut and washer.
- Manufactured and tested to ASTM F3125 / F2280.
- Mill test certificates supplied with each lot.

PROJECT DETAILS

PROJECT	Wukuang Jida Project
CUSTOMER	Iconiqtek
DATE	20 AUG 2026

CUSTOMER APPROVAL

APPROVED BY (NAME & SIGNATURE)


DATE



BC-889401, 26th Floor, Gem Tower, Ajman, U.A.E.
T +971 6 8812028 E info@boltechin.com
W boltechin.com ISO 9001:2015 certified

GENERAL ARRANGEMENT – TENSION CONTROL BOLT ASSEMBLY

IMPERIAL UNITS (INCHES) | NOT TO SCALE



Assembly comprises splined tension control bolt, heavy hex nut and hardened washer, supplied pre-assembled. Length measured from underside of head to end of thread. Spline shears off at specified installation tension.

BILL OF MATERIAL – LINE 70 OF 79

ITEM	BTI-317377-070
QUANTITY	3,000 pcs
DIAMETER	1-1/8"
LENGTH	4-1/2"
THREAD	1-1/8"-7 UNC
GRADE	ASTM F3125 Grade F2280
TYPE	Tension control bolt assembly
FINISH	Plain (as manufactured)
UNITS	Imperial (inches)

NOTES

- Finish: Plain – no coating applied.
- Drawings are indicative and not to scale.
- Assembly supplied with heavy hex nut and washer.
- Manufactured and tested to ASTM F3125 / F2280.
- Mill test certificates supplied with each lot.

PROJECT DETAILS

PROJECT	Wukuang Jida Project
CUSTOMER	Iconiqtek
DATE	20 AUG 2026

CUSTOMER APPROVAL

APPROVED BY (NAME & SIGNATURE)


DATE



BC-889401, 26th Floor, Gem Tower, Ajman, U.A.E.
T +971 6 8812028 E info@boltechin.com
W boltechin.com ISO 9001:2015 certified

GENERAL ARRANGEMENT – TENSION CONTROL BOLT ASSEMBLY

IMPERIAL UNITS (INCHES) | NOT TO SCALE



Assembly comprises splined tension control bolt, heavy hex nut and hardened washer, supplied pre-assembled. Length measured from underside of head to end of thread. Spline shears off at specified installation tension.

BILL OF MATERIAL – LINE 71 OF 79

ITEM	BTI-317377-071
QUANTITY	3,000 pcs
DIAMETER	1-1/8"
LENGTH	4-3/4"
THREAD	1-1/8"-7 UNC
GRADE	ASTM F3125 Grade F2280
TYPE	Tension control bolt assembly
FINISH	Plain (as manufactured)
UNITS	Imperial (inches)

NOTES

- Finish: Plain – no coating applied.
- Drawings are indicative and not to scale.
- Assembly supplied with heavy hex nut and washer.
- Manufactured and tested to ASTM F3125 / F2280.
- Mill test certificates supplied with each lot.

PROJECT DETAILS

PROJECT	Wukuang Jida Project
CUSTOMER	Iconiqtek
DATE	20 AUG 2026

CUSTOMER APPROVAL

APPROVED BY (NAME & SIGNATURE)


DATE



BC-889401, 26th Floor, Gem Tower, Ajman, U.A.E.
T +971 6 8812028 E info@boltechin.com
W boltechin.com ISO 9001:2015 certified

GENERAL ARRANGEMENT – TENSION CONTROL BOLT ASSEMBLY

IMPERIAL UNITS (INCHES) | NOT TO SCALE



Assembly comprises splined tension control bolt, heavy hex nut and hardened washer, supplied pre-assembled. Length measured from underside of head to end of thread. Spline shears off at specified installation tension.

BILL OF MATERIAL – LINE 72 OF 79

ITEM	BTI-317377-072
QUANTITY	3,000 pcs
DIAMETER	1-1/8"
LENGTH	5"
THREAD	1-1/8"-7 UNC
GRADE	ASTM F3125 Grade F2280
TYPE	Tension control bolt assembly
FINISH	Plain (as manufactured)
UNITS	Imperial (inches)

NOTES

- Finish: Plain – no coating applied.
- Drawings are indicative and not to scale.
- Assembly supplied with heavy hex nut and washer.
- Manufactured and tested to ASTM F3125 / F2280.
- Mill test certificates supplied with each lot.

PROJECT DETAILS

PROJECT	Wukuang Jida Project
CUSTOMER	Iconiqtek
DATE	20 AUG 2026

CUSTOMER APPROVAL

APPROVED BY (NAME & SIGNATURE)


DATE



BC-889401, 26th Floor, Gem Tower, Ajman, U.A.E.
T +971 6 8812028 E info@boltechin.com
W boltechin.com ISO 9001:2015 certified

GENERAL ARRANGEMENT – TENSION CONTROL BOLT ASSEMBLY

IMPERIAL UNITS (INCHES) | NOT TO SCALE



Assembly comprises splined tension control bolt, heavy hex nut and hardened washer, supplied pre-assembled. Length measured from underside of head to end of thread. Spline shears off at specified installation tension.

BILL OF MATERIAL – LINE 73 OF 79

ITEM	BTI-317377-073
QUANTITY	3,000 pcs
DIAMETER	1-1/8"
LENGTH	5-1/2"
THREAD	1-1/8"-7 UNC
GRADE	ASTM F3125 Grade F2280
TYPE	Tension control bolt assembly
FINISH	Plain (as manufactured)
UNITS	Imperial (inches)

NOTES

- Finish: Plain – no coating applied.
- Drawings are indicative and not to scale.
- Assembly supplied with heavy hex nut and washer.
- Manufactured and tested to ASTM F3125 / F2280.
- Mill test certificates supplied with each lot.

PROJECT DETAILS

PROJECT	Wukuang Jida Project
CUSTOMER	Iconiqtek
DATE	20 AUG 2026

CUSTOMER APPROVAL


APPROVED BY (NAME & SIGNATURE)

DATE



BC-889401, 26th Floor, Gem Tower, Ajman, U.A.E.
T +971 6 8812028 E info@boltechin.com
W boltechin.com ISO 9001:2015 certified

GENERAL ARRANGEMENT – TENSION CONTROL BOLT ASSEMBLY IMPERIAL UNITS (INCHES) | NOT TO SCALE



Assembly comprises splined tension control bolt, heavy hex nut and hardened washer, supplied pre-assembled. Length measured from underside of head to end of thread. Spline shears off at specified installation tension.

BILL OF MATERIAL – LINE 74 OF 79

ITEM	BTI-317377-074
QUANTITY	3,000 pcs
DIAMETER	1-1/4"
LENGTH	3"
THREAD	1-1/4"-7 UNC
GRADE	ASTM F3125 Grade F2280
TYPE	Tension control bolt assembly
FINISH	Plain (as manufactured)
UNITS	Imperial (inches)

NOTES

- Finish: Plain – no coating applied.
- Drawings are indicative and not to scale.
- Assembly supplied with heavy hex nut and washer.
- Manufactured and tested to ASTM F3125 / F2280.
- Mill test certificates supplied with each lot.

PROJECT DETAILS

PROJECT	Wukuang Jida Project
CUSTOMER	Iconiqtek
DATE	20 AUG 2026

CUSTOMER APPROVAL

APPROVED BY (NAME & SIGNATURE)


DATE



BC-889401, 26th Floor, Gem Tower, Ajman, U.A.E.
 T +971 6 8812028 E info@boltechin.com
 W boltechin.com ISO 9001:2015 certified

GENERAL ARRANGEMENT – TENSION CONTROL BOLT ASSEMBLY

IMPERIAL UNITS (INCHES) | NOT TO SCALE



Assembly comprises splined tension control bolt, heavy hex nut and hardened washer, supplied pre-assembled. Length measured from underside of head to end of thread. Spline shears off at specified installation tension.

BILL OF MATERIAL – LINE 75 OF 79

ITEM	BTI-317377-075
QUANTITY	3,000 pcs
DIAMETER	1-1/4"
LENGTH	3-1/2"
THREAD	1-1/4"-7 UNC
GRADE	ASTM F3125 Grade F2280
TYPE	Tension control bolt assembly
FINISH	Plain (as manufactured)
UNITS	Imperial (inches)

NOTES

- Finish: Plain – no coating applied.
- Drawings are indicative and not to scale.
- Assembly supplied with heavy hex nut and washer.
- Manufactured and tested to ASTM F3125 / F2280.
- Mill test certificates supplied with each lot.

PROJECT DETAILS

PROJECT	Wukuang Jida Project
CUSTOMER	Iconiqtek
DATE	20 AUG 2026

CUSTOMER APPROVAL

APPROVED BY (NAME & SIGNATURE)


DATE



BC-889401, 26th Floor, Gem Tower, Ajman, U.A.E.
T +971 6 8812028 E info@boltechin.com
W boltechin.com ISO 9001:2015 certified

GENERAL ARRANGEMENT – TENSION CONTROL BOLT ASSEMBLY

IMPERIAL UNITS (INCHES) | NOT TO SCALE



Assembly comprises splined tension control bolt, heavy hex nut and hardened washer, supplied pre-assembled. Length measured from underside of head to end of thread. Spline shears off at specified installation tension.

BILL OF MATERIAL – LINE 76 OF 79

ITEM	BTI-317377-076
QUANTITY	3,000 pcs
DIAMETER	1-1/4"
LENGTH	4"
THREAD	1-1/4"-7 UNC
GRADE	ASTM F3125 Grade F2280
TYPE	Tension control bolt assembly
FINISH	Plain (as manufactured)
UNITS	Imperial (inches)

NOTES

- Finish: Plain – no coating applied.
- Drawings are indicative and not to scale.
- Assembly supplied with heavy hex nut and washer.
- Manufactured and tested to ASTM F3125 / F2280.
- Mill test certificates supplied with each lot.

PROJECT DETAILS

PROJECT	Wukuang Jida Project
CUSTOMER	Iconiqtek
DATE	20 AUG 2026

CUSTOMER APPROVAL

APPROVED BY (NAME & SIGNATURE)


DATE



BC-889401, 26th Floor, Gem Tower, Ajman, U.A.E.
T +971 6 8812028 E info@boltechin.com
W boltechin.com ISO 9001:2015 certified

GENERAL ARRANGEMENT – TENSION CONTROL BOLT ASSEMBLY

IMPERIAL UNITS (INCHES) | NOT TO SCALE



Assembly comprises splined tension control bolt, heavy hex nut and hardened washer, supplied pre-assembled. Length measured from underside of head to end of thread. Spline shears off at specified installation tension.

BILL OF MATERIAL – LINE 77 OF 79

ITEM	BTI-317377-077
QUANTITY	3,000 pcs
DIAMETER	1-1/4"
LENGTH	4-1/2"
THREAD	1-1/4"-7 UNC
GRADE	ASTM F3125 Grade F2280
TYPE	Tension control bolt assembly
FINISH	Plain (as manufactured)
UNITS	Imperial (inches)

NOTES

- Finish: Plain – no coating applied.
- Drawings are indicative and not to scale.
- Assembly supplied with heavy hex nut and washer.
- Manufactured and tested to ASTM F3125 / F2280.
- Mill test certificates supplied with each lot.

PROJECT DETAILS

PROJECT	Wukuang Jida Project
CUSTOMER	Iconiqtek
DATE	20 AUG 2026

CUSTOMER APPROVAL

APPROVED BY (NAME & SIGNATURE)


DATE



BC-889401, 26th Floor, Gem Tower, Ajman, U.A.E.
T +971 6 8812028 E info@boltechin.com
W boltechin.com ISO 9001:2015 certified

GENERAL ARRANGEMENT – TENSION CONTROL BOLT ASSEMBLY

IMPERIAL UNITS (INCHES) | NOT TO SCALE



Assembly comprises splined tension control bolt, heavy hex nut and hardened washer, supplied pre-assembled.
Length measured from underside of head to end of thread. Spline shears off at specified installation tension.

BILL OF MATERIAL – LINE 78 OF 79

ITEM	BTI-317377-078
QUANTITY	3,000 pcs
DIAMETER	1-1/4"
LENGTH	5"
THREAD	1-1/4"-7 UNC
GRADE	ASTM F3125 Grade F2280
TYPE	Tension control bolt assembly
FINISH	Plain (as manufactured)
UNITS	Imperial (inches)

NOTES

- Finish: Plain – no coating applied.
- Drawings are indicative and not to scale.
- Assembly supplied with heavy hex nut and washer.
- Manufactured and tested to ASTM F3125 / F2280.
- Mill test certificates supplied with each lot.

PROJECT DETAILS

PROJECT	Wukuang Jida Project
CUSTOMER	Iconiqtek
DATE	20 AUG 2026

CUSTOMER APPROVAL

APPROVED BY (NAME & SIGNATURE)


DATE



BC-889401, 26th Floor, Gem Tower, Ajman, U.A.E.
T +971 6 8812028 E info@boltechin.com
W boltechin.com ISO 9001:2015 certified

GENERAL ARRANGEMENT – TENSION CONTROL BOLT ASSEMBLY

IMPERIAL UNITS (INCHES) | NOT TO SCALE



Assembly comprises splined tension control bolt, heavy hex nut and hardened washer, supplied pre-assembled. Length measured from underside of head to end of thread. Spline shears off at specified installation tension.

BILL OF MATERIAL – LINE 79 OF 79

ITEM	BTI-317377-079
QUANTITY	3,000 pcs
DIAMETER	1-1/4"
LENGTH	5-1/2"
THREAD	1-1/4"-7 UNC
GRADE	ASTM F3125 Grade F2280
TYPE	Tension control bolt assembly
FINISH	Plain (as manufactured)
UNITS	Imperial (inches)

NOTES

- Finish: Plain – no coating applied.
- Drawings are indicative and not to scale.
- Assembly supplied with heavy hex nut and washer.
- Manufactured and tested to ASTM F3125 / F2280.
- Mill test certificates supplied with each lot.

PROJECT DETAILS

PROJECT	Wukuang Jida Project
CUSTOMER	Iconiqtek
DATE	20 AUG 2026

CUSTOMER APPROVAL

APPROVED BY (NAME & SIGNATURE)

DATE



BC-889401, 26th Floor, Gem Tower, Ajman, U.A.E.
T +971 6 8812028 E info@boltechin.com
W boltechin.com ISO 9001:2015 certified